/ 10-11-72 Set C/M over stone found #732706 (1)

1/4 corner 27-28 Haverhill 107-13.

4-1857 Hunter P23 no 36 L28.
set center 28 and marked bearing trees as
likely used above 1/4 corner. no mear.
also found center & BT in caption 5-1876.

5-1889 Thos Fraser P429 no 417 L28 Col Williams
set stake and stone 5x10x15 M&L. 39.81 1/4. 2627.62
-16 west set stake and stone 2x12x20 M+L. 20.00.

1962 J Kerr run E-W 1/4 line L28 to set center 28.
dug & searched extensively for this corner, no probes
1889 B Trees - 8" blk oak L40°W. 11 [illegible] - 1" fair oak N85°E. 2 over-

massive power transmission line N & S. everything cleared out. no cultivation or wash. shell rock in power pole holes but not in stone depth. Corner should be here unless pole at exact spot. no good to run E-W ¼ line 28 but good for sec. line. Northwest corner 27 C/M.

10-11-72. ran aerial and elec meas from stone found at 27-28-33-34 north to 21-22-27-28.
– easily found recorded boulder at 2628.5 R 2627.6 on almost exact line which fell slightly west of center of stone. Meas north –
– stone down 14", lowered stone, centered on N-S ¼ line and placed C/M over stone with iron bars on N & S sides well above ground and over C/M

Lo Card # 2

Card # 2. 1/4 27-28 Haverhill 107-13 (2)

RP to CIM set over stone #732706
stone lies about 1.5' east of N-S fence.
9.0' South of fence west.

40.36 NNE to RC Cola Cap on SE side trans PP
24200 up 3.7' - easterly of twin poles.

37.3 3.5' W of N to pepsi cap on W side trans
Gone 8-1-96 PP # 24201 up 3.5'

8.85 N to Cone nail on E side Corner post (3 Ker corner)
of fence west which lies 1.5' west of section line

Note- CIM at Center section 28 now wrong. likely both ways.
note 11-29 set final corner at 1/4 28-29. 9.39' north & 29' west
of 3 Ker corner used to set Center - Center now too close to
warrant moving.

Gen Notes W.B Yerby 1853
40.00 Std A Section post
Bur Oak 10 in Dec W 237 lks
Bur Oak 10 in S 85 E 217 lks

Aug 1996 Dean Strange of People's Coop Found Iron
Found CIM near surface.