L 10-17-72 set CM on cor, orig stone South side (1)

#732805

section corner 28-29-32-33 Haverhill 107-13

1-1872 Hunter P191 no 202 Lin 1/4 28. C Wilson, Alde used corner - found 1/16 North set P23 M&L 19.85 Fishkeck.

-5-1886 Hunter Caption P23 no 36. L 28.
showed corner used.
-16 north M&L 19.85.
-east many woodlots 11.28 • 5.00 • 3.50 • 15.00 • 5.00 • etc.

5-1889 Thos Fraser P 429 no 417 L 28 Col. Williams found large hardwood stake claimed 2 rods north of section corner. on digging found stone & part of stake beside it and another stone by wash which apparently came from other side of stake

- over -

Meas east 40.10 3/4. to temp point midway only.
2647.1

11-1957 McGhee.

5/8" rod	origin unknown (set from 1/4 32-33 over 1/16 stone north)		
Spike	power pole.	ENE	95.3.
"	corner fence post	WSW	35.15
"	" " "	W	74.7

11-1892. Thos & W Fraser P 499 No 470 L 33. ~~town board.~~ Frankland Bros.
found stake P 429 set stone by side. 1315.38
-16 south set stone 3 x 15 x 26 M & L. 19.93. found.
-16 east. " " M & L no mea given
-16 center NW 1/4 33 set stone M & L - N-S 1/16 no mea.
J Fraser fieldbook says line N-S 1/16 lone E NW 1/4 33 about 16 links
or 1309.44 P 45 small book 10.56

Card # 2. 28-29-32-33 Haverhill 107-13 (2)
#732895
10-17-72. found Mc Ghie pipe easily - elec meas west
from 27-28-33-34. 5305.64 from stone found.
- dug and found 1/4 28-33 at 2647.35 from stone east
and 1/16 stone west of 1/4 28-33 1322.83. (final setting;
stone very tilted and moved and iron riser moved about
.68 south and also .7± east to be exactly N & L, there
is .7 kink in 1/4 28-33, stone south of direct line.
- dug and found limestone rock Cross 6" thick 12"x16"
pear shaped. not very deep but very definate and positive
- stone .7' north 12.8' east of Mc Ghie pipe
12" 16" 1/4 28-33 found. 13.87 west of 3 Kerr stone and
5.65 south. proving stone as Fraser corner.
over.

set ½" x 2' ac 1/16 corrected to M&L 1322.83.
41.0 6.5' W of S to 16 D on W side new Cor post & fence S.
69.53 SE to McGhee nail on NE side PP # 20226.

Set CIM over rod with org stone on L side, bottle with note on W side stone and many flattened pop cans.
stone fell 1.35 S of line from 1/4 28-33 found and stone found at 1/16 which was tilted and moved
83.3 NE to 20 D on SE side (McGhee nail) & Power pole
83.5 (1968) # 20230 up 18" (this mean level chain).
223.58 WNW to 20 D (McGhee nail) on L side power pole # 20231 up 3' (this mean slope ground to nail)
final mean east 1322.83 M&L or 2645.66 then
2647.35 east to CIM - and iron M&L 1323.68
7-1979 Shot CIM in Control Survey

Govt Notes W.B. Yerby 1853 #732805 (3)

80.00 Stl A Sec Cor post to Stl 28, 29, 32 + 33
in a Mound of Earth and Set charcoal stone in
charcoal made trench and pits planted
Osage Orange Sticks N.W. + S.E. of trench

May, 1858 T. Hunter Fg. 56 No. 81 shows Sec Cor.
1/16 North 19.85 chs. M&L to 1/4 Post
(See Survey for Center S.E. 1/4 Sec 29 with B.T.'s & Mkd's.
11/1/89 FD CIM DOWN ONLY 2" IN GRAVEL RD.
8' NORTH TO ℄ OF TWP RD., CIM LOOKS TO
BE LEANING SOUTH