X 11-29-72 set C/M over. 5/8" rod by mine. (1)
#732802

1/4 corner 28-29 Haverhill 107-13

5-1858 Hunter P 56 no 81 SE 1/4 S 29.
used corner - B tree N 63½° W 51 links
-16 south set corner N 74° E 27 "
M & L 19.85 1310.1
-16 west set corner M & L 20.20 1333.2
-16 Center SE 1/4 29 set corner - meas east 20.07

5-1876 Hunter, caption P 23 no 36 S 28.
found orig corner standing - stumps both B trees.
with marks plain.
- meas North. 16 at M & L 19.89 1312.14
-16 south M & L 19.85. 1310.10 -over-

1-1872 Hunter P191 No 202. SW¼ S28. C Wilcox. Alde Fishbeck
found orig corner standing.
-16 south found stake set P 23.
- east set stake 10 chains by line from W¼ 28
over stake found 5 chains east of W¼ 28 (set P23.

4-1881 T. Hunter Book 5 p109 Sec. 29-32 apparently used Cor. To Set Cor. 29

4-1962. J Kerr. Book 83 P39. ran NW 28 south 2634'
searched for corner to set center 28 for carlton P exp.
terrain level flood land step slopes N & E. found 2 brg
trees answering orig B trees P 56. later declared stumps 1876.
- found what might have been stake. If trees not where corner very likely wrong. lines in all directions steep, brush, awful.
- set steel fence post as corner. (line from North might help).
30" white oak center NW 34.5 = 14" burr oak ENE 18.0
- run line each over rough land for part of line. set center 28
by st.

Card #2. 1/4 28-29. Haverhill 10 7-13. (2)

required that true corner be set for once and all time.
#732806

11- -72 ran detail and elec meas direct from 20-21-28-29 C I M. re checked from 1/16 stones found 11-72 north and east and believed set very near original location of orig stone (N 42 E)
- ran line over McElhie 1¼" pipe. found at 1317.42' from C I M searched at least 4 different times for true 1/16 stone & found nothing
- found J Kerr fence post at 2634.19 R 2625.48
Set C I M 1781 5/8 at 2624.82 N R 2625.48
2619.55 S R 2620.20 as N-S of corner

Set C I M. 26.17 east of direct line within few inches of fence running south (line of occupation) partially by old measure west and also line of occupation. best one can do as found corner over.

Corner comes. 9.37' N & 29' W of John Kerr corner.
removed steel post set by J Kerr as corner and set it on
south side of C/M. - Reset J Kerr corner with 1" dia
wood cut from small tree to hold corner in case of trouble.
4.63 N to 40 D on W side huge 3'± white oak.
43.8 E ly to 40 D on S side 12" oak in fence E.
J Kerr RPS To center above trees 34.5' NW - 18' ENE.

1/2 corner North of 1/4 28-29 Haverhill
Searched several times for stone used by Hunter 1896.
set 3/4" pipe exactly M & L 1312.42 R 1312.74
Corner 14.5 west 5.0 north of mon. Blue 1 1/4" pipe set earlier surv. (Clyftaviv)
14.04 NE ly to bottle cap S E side PP# 38661
24.65 N W ly to 40 D S E side 4" poplar tree
corner a few feet south of fence running E across road.

Gov't Meets W.B. 4th May 1853

40.00 Sts. a Station Post

Black Oak 10 in N 80 E 26 lks

Bur Oak 7 in N 56 W 53 lks

1/4 28-29 HAVERHILL (3)

#732806

May, 1859 T. Hunter Pg. 60 No. 56 Shows 1/4 Post

1/16 North 20.03 Chs. 11½ L to Sec. Cor.

(See Survey for Breakdown N E 1/4 Sec. 29.

11/14/89 FD CIM IN GOOD COND. CORNER ± 250'

SOUTH OF NORTH EDGE OF WOODS, SET SIGN

POST 1.0' NORTH