11-29-72 Iron shaft with small cast iron capped in place
6-10-76 Set CIM
#732905 #1

section corner 29-30-31-32 Haverhill 107-13

5-1891 Thos Fraser P457 No 441 L 31 Stake Minn. found stake claimed by adjacent landowner to have been set by Hunter in survey of L 29. - 4-1880 T. Hunter BK 5 P. 109 Used for To Mons. N. & S.

- meas west 39.94 1/2 2636.37 to corner set then

" 39.16 1/2 2584.89 to corner on town line.

9-1891 Thos Fraser P456 No 440 L 30. John Holo. found corner P457.

-16 north set stake M & L 19.84 1/2 1309.77.

7-1894 Will Fraser Captain above. found E 1/4 had been.

- mes -

moved. East 8" so run line from SE 30
over 1/16 mile & set stake in proper place.
- evidently found SE cor 30 in good shape.

5-1958 M^c Ghee
found iron shaft with gear in N-S fence.
3/4" iron pin now corner.
Spike in fence post N 9.6
" " " " S 6.0
Meas. north to 1/4 29-30 2622.8 T. Fraser R 26 1954

11-29-72 found shaft with sprocket cog on end up 4" just west of fence on high hilltop. Used to set 1/4 29-32 from final corner at 28-29-32-33 found 10-17-72. (set) 29/32 set 40 D on SW side 6" cherry LE 5.45

#(2)

Section Corner 29-30-31-32 Haverhill 107-13

(#732905)

6-10-76 Found recorded shaft with sprocket bent over. Fence line and cherry tree now gone. Removed shaft and set a CIM (deep) over 1" O.D. x 27" pipe. R.P. Spike in E side 22" Cherry tree S. 256.8

Cecil Wolfe W.B. Yerby 1953

$0.00 Set A Std. post in mound of Earth and Set 2 Std. Reg. Iron Bars 1 each side of track and P.K.'s planted Opposite Ornamental Trees N.W. & S.E. of track.

4-21-89 Fd CIM 1.4 So. of sign & post, deep

5/24/1876 Thomas Hunter (bk 4, pg 123) used corner chained south 19.83¼ then 19.83¼ S 0° 20 W, also 34.30 chs south to center of RR tracks, and 35.75 chs south to center of creek