10-31-1966 set C/M. ones ½ x 28" pipe with old stake & small stone on east & west sides respectfully (1)

¼ corner. Center 36 Haverhill 107-13.

5-1872 Hunter P 205 no 213 S 36 Chas Lawler, J Lawler. M Brennan. #733609

set stone 2 x 6 x 12 at intersc lines.

-16 west set stake M & L 19.98½. (1319.0' for line S.

-16 east " " " 19.81½. (1307.8 " " N.

-16 north " stone 2 x ⅜ x 14 M & L. 19.86 (1310.76 " " W

- mean south. 39.86 -2630.76

10-1966 J Kerr dug in area found large stake or small post rotted with small limestone (not recorded size) accepted as corner set C/M ones ½" x 28" pipe with old wood on east side and small stone on West side. corner has 1.5' W of N-S fence and 7.5' north of corner post

-over-

of fence south and west but in perfect line of main fence west. an inter-field drive causing this!
note- corner in question - found orig stone as E 1/4 and orig stone as W 1/4 both set P205 when center set. - on running direct line at 20' offset north from E 1/4 over center came 8.9' north of W 1/4 36. making corner at center 4.45' too far north.
- meas east actual 2621 with 1/10 fence south 1310.5 R 1307.8.
- meas west actual 2648 with 1/10 fence south at 1327. R 2638 or 1319
- Center could be 4.45' south and 3.5± west
- meas north from C/M actual to fence west 1309. R 1310.7
Cont north to corner found. 2625 R 2621.4.

5-26-1970 meas from center C/M about N 2625.1, W 2647.7, E 2621.35

#733609

(2)

Card # 2 Center 36 Haverhill 107-13

5-26-1970 Co surv - made attemp to prove center C/M. 36 set eight on exact W¼. 36. - ⑤ 2° north at E¼ 36 to miss cherry tree on line, found C/M was 4.3' north of line. Card #1 ext 4.45', then meas all lines W - N - E.

line west 2647.7 R 2638.0 over 9.7 perp 7.75 west 1.95

1/16 fence N & S at 1327.0 then 1320.7 to W¼ cor.

true 1/16 would come 2.15 east of fence with at corner.

line east 2621.35 R 2615.6 over 5.75 perp 7.7 west 1.95

1/16 fence south & north at 1310.5 then 1310.85 to E¼ cor.

true 1/16 would come .8' west of fence south

line north 2625.1 R 2621.5 over 3.6 perp 4.3 & then 7.9

1/16 fence west at 1309.0 then 1316.1 to N¼ cor.

(over

true 1/16 would come 1.4' N of cor post or near line main fence

5-28-70 line south dug extensively at center 36 3'x4' covering true line of E-W 1/4 and dug to 4' west to clay no corner had ever been set in that area. accepted C/M as corner set by Hunter 5-1872 P 205. Continued true line south, set PK in ℄ as near county nail line as possible 2636.45 R 39.86 or 2630.76 line came 7.34' east of county nail set on fence line, this would make meas from rod at SW cor 36 (as set) 2665.5 ±; R 2637.36

– 1/16 north of center to bear line would come 10.2 east of center top of corpost and to be midway 3.65 north of fence wire, if any trace or proof of this stone could be found entire line could be proven. or the true S 1/4 stone which could be in 30' area.

RP to PK set at S 1/4 36.– 30D on W side 20" pine up 15" south 60.5
Center natural crease in leaning 16" boredale east side SE 132.5'
Northeast corner trim on main house (not porch) SE 145.9

---

sept. 1863 P.C. Compton Pg. 77 No. 115 Fand Center Sec.
Set 1/16 East M&L No meas.