8-2-1963 set C.M. in place of small limestone.

#740205 (1)

section corner 2-3-10-11 Cascade. 107-14

1-1874 — See Field Book 3 P. 67-70

Hunter P237 No 239 $\frac{1}{4}$ 2, $\frac{1}{4}$ 3 E bbb.

found mound and pits plain with old stake

remains in center mound. set stone 2" x 12" x 12"

running to point at Top.- 8" J. Oak. N 21¼ W 51½ L. 33.99

8" J. Oak S 45½ E 21 lks 13.86

- 16 W set stake M & L 19.99 (1319.34' with prop br.

West & above ⅛ 5 chs (330'

Then 14.99 ¼ chs. (989.5' to $\frac{1}{4}$ 3. stake mates

found remains stake from B tree ~~set~~ taken by R Perry.

over.

✓ 6-1900 R Fraser P 646 to 652 Ns 582. S 1-2-11-12
found mound with stone in center covered by John
Nowell as true corner, tested by 2 witness trees lichen
when stone set P 237.
-16 N found stones set by Harder at 13 chs (858'
and at 80 rods (1320' getting about 7.1 lks more (4.65'
this 1/16 stone could have been found by SIan 1916.

✓ 1954 J Kerr B 59 P 1 Sec 2 C Hanson.
found badly split and eroded limestone undisputed
as true corner., ran line east a rough brushyline
2631.87 with 1413.71 as station where center
road and line crosses point corrected. Corner may have
been set. - detailed line & P.O.T.s B 59.
see Card #2.

#740205 (2)

Card # 2. 2-3-10-11. Cascade. 107-14.

259 Pl J Kerr 1954 Cor's.

found. 1/2 2-11 easily.

KP 2-3-10-11. Center 16" Cottonwood W 9.8'
Center 6" ash N 3.7'

Corner under N-S fence. No E-W fences.

B 73 P 316-1958 John Saunders survey.

-16 W Corner was huge boulder. 30" or more with. Mark on top set 1916 slightly in error or it moved. - re run section line west to 1/4 3-10. Moved stone away some. set 1/2" pipe up 6" M & L 1314.0 ± Top line N - also set property corners west of 1/16 985.5 ± Then another 197.66 west for prop cor sec 10. 456.86 W to 1/4 Cor. 1/16 RP over -

1/16 corner. line 41' north of random Boardman fence running east and 3' west of N-S fence at edge of woods.
- there is an old locust bar up 3' and old pump spout and various things by side of pipe corner. Clear on fence wire each of corner.
there is a 1/16 iron rod south 6.5 & 6.5 set by M. Shue
6-21-1952. R Fraser. recorded fieldbook # 10 P 49. SW 1/4 2.
surveyed 10 acres in extreme SW corner section 2.
DT stakes at corner. from SW cor 2 N 10.10' ~~9.66~~ 666.16
ch E 9.97 3/4 - 658.19 bling same on opposite sides.
Coal woods on Fairmont 235'
Base set post for gauge to section 2-3-11
created mound with trees, grass, chips, chunks
stakes + Orange Orange seals at each angle

#740205 Card # (3)

Section Corner 2-3-10-11 Cascade 107-14

March 1856 Thos. Hunter Pg. 1 No. 1 Shows Sec. Cor.
1/16 North 20.37 chs. m & L. Bearing Trees to 1/16 cor
S 20½° E 18 links & N 22¾° W 69 links
1/16 East 20.02 chs. M & L Bearing Tree to 1/16 cor,
N 70¼° E 147 links

4/4/90 FD CIM IN N-S FENCE LINE 24½' WEST OF
℄ PRIVATE DRIVEWAY, J Kerr COTTONWOOD AND ASH
TREES STILL HERE, SET SIGN & POST & 1' WEST