K 11-17-77 Set CTC 1p 2

#740306 (1)

1/4 Corner 3-4 Cascade 107-14.

2-1889 Hunter P427 no 415 S 3 J Clason, C Oswald. found remains of old fence post 4 fences, 4 way, . claimed set where orig stake stood, slight mound still in evidence - east set 1/16 corner M&L 20.23½ (~~1325.5~~ 1335.5) and stake at center by inters lines. left post as is

---

11-1916 J Kerr P252B S 3-10 J Bandel & others. ran & meas line W1/4 10 To town line. set stone at SW cor 3 total line very short. 7959. - set SW cor 3 at 2600. then 2596.0 then 1298.0 then 1265 To NW 3 established no mention 4 corner set at W1/4 3 Meas west one sec 3 5159.0

(over)

4-1923 J Kerr P388 B line betw 3-4. for E E allce. for fencing.
also in 1923 book - 8 page 2.:
- run & meas line 5158.5-
- set limestone at 2596' from SW cor 3. no 1/16 north.

2-1960 J Kerr B78 P44. S3 Dr Lofgren job.
run and meas west line S3. 16' E W. total length 5154.6'
did not search for W 1/4 3. or note station of EW fence.
- seems a record of limestone 42' south of EW fence (County)
~~Corner must be set at intersection of N-S and E-W 1/4 lines~~ why?
3-1973 Forest Bandel tells of long time inaccuracy of line between 3-4. after 3-4-9-10 finally set must re-run line from existing final section corners on Govt proportions to set fair corner - line clear on E W ck

6-18-1976 R.B. & Jim Swanson
Visited Corner area, chained in from Corner 3 - (Kerr's corner) and found more. To the Corner N. at 1332' then 1324' to Corner N. at this 'A' Corner location, indicating Kerr's 'A' 3-4 way off - more to Northwest in Sec 3 and found this 'A' corner to be true to Present Rec as well

1/4 Corner 3-4 Cascade 107-14 (2)
#740306

11-17-77 Set a CIC/p² on the S. side of corner post (most southerly of pr) to fences E and N. Corner approx 15' West of fence So.
RP: Sp & CSC in E side 6" Burr Oak NNE 9.4

Gen'l Notes M. Kanack 1554

40.00 Set temp 1/4 station post 5 5' W on true line between set stones

3 3/4
39.50 Set 1/4 stone post in mound with trench, pits, chiseled stake and Orange Orange Stones NE & SW

4/4/90 FD CIC/P² ± 2' SOUTH OF NEWEST C.P. TO FENCE E-W-N, NAILED SURVEY SIGN ON SOUTH SIDE OF POST