#740505 (1)

9-24-1963 set C/M over 1½" x 14" pipe.
11-28-77 Set 10" CIM over CIM in place
section corner 5-6-7-8 Cascade 107-14
5-1857 Horton P84 No 129 W½ S8.
said corner. Meas each 39.98 south.?

5-1876 Hunter P295 No 290 S 7 5 parties.
found stake set by Horton P84.
- Meas west 39.9⅓ (2635.38'
- 16 south set stone 2x5x15 M&L 20.09½ (1326.3'
- 16 Center N W¼ ? set stone inters lines.
Bearing N-S sec line N 0¼° E - EW ⅛ line NE¼ S 89¼ E

7-1917 JKerr P270 B. B-10 P19 S5-6 Chas Young.
found stake set stone 8x9x22 on top old stake.
Meas north 2640 To ¼ corner. Set on line. (OVER)

9-1963 J Kerr found corner stones and 1" iron set C/M over 1½" x 24" pipe.
Corner lines fence north, center roads E-S-W:
- upon NWS. corner fence post there 77 SW 63.4.
" NES tele pole. there 77 SE 45.57.
Disc tele pole. " " ENE 77.18.
" tele pole. " " NNW 37.8.

B25 P37 Case road survey found. 1" shaft in stones with 1" pipe reset.

1939 Co HD B103 P51 found old stake set 1" iron in place. 5268.2 total.
Trees west 2634.1 to M+L found nothing.
16 south found 16 south 1325' then 1326. R 1326.3
6-26-72 Zap line east to 4-5-8-9 5266.5
re-set 4 5-8 M&L 2633.25 Moved Co hub N. 09 W

Cascade section corner 5-6-7-8 #740505 ②

"Cast Stone MT Kimball 1859

80.00 Set section 5-6-7-8 central mound with trench, pits, charred stake + Osage Orange stakes at each angle

11/20/89 FD CIM IN GOOD COND.