6-6-1964 set C/M in pile limerocks on hill slope. OK

#741304 (1)

1/4 corner 13-24 Cascade T09-14

8-1876 Hunter P303 no 298 L 24. L Dodge R Smith.
found old stake, tied by witness tree stump.
-16 east set stake N & L 20.10 (1326.6
-16 south set stake N & L. 19.99 (1319.34'
-16 center NW 1/4 24 set stone at inlrs lines
- Meas east 40.10 (2646.6'

Hunter Field BK 4 says set stone 24x6x6 in place of Stake found

---

2-1878 Hunter P 330 no 324 L 13. O Brooks & others.
found stone P303.
-16 west found stake P303 N & L 20.10 (1326.6.
-16 north set temp point N & L 19.82 1/2. (1308.45'
-16 center SW 1/4 13. set stone. 5x7x20 with flange projections on 2 sides A it at bottom being set at inlrs lines.

6-1964 set CIM in place of stone on south hillslope about half way up hill slope - piles of limerock about corner.
Disc 16" br oak NW-26.6 - Sp in side 10" pin oak SW 7.37
Sp root 12" oak NE 11.75 - bee 1.75 ~~SW~~ SE of Cor fence post.

B81 P42 7-1960 Morse Bros. Meas west 2650.46. set temp point at 1325.23 — run E-W 1/16 line of SW 1/4 13. set iron pin N&L 1326.95 and S 31.95 each of 1/16 - run N-S 1/16 set the iron pin also N&L 1310.83 did not know about stone so didn't search, some blow sand. should be there.

B87 P64 10-1-63 Gutches. found 1/2" rod 1/16 cor N&L 1326.95 set 1/2" pipe north 344.3 of 1/16. - 344.95 north at SW cor of NW 1/4 of SW 1/4 13.

1-10-90 fd CIM in good Condition

Cascade 1/4 corner 13-24 #741304 (2)

Gov't Meas. Mt. Keewick 1951

40.00 S-1 temp 1/4 steel post

West on true line between sects 13-24

40.00 S-1 1/4 steel post

Bur. Oak 3 N16 W343

Dug 4 inch