X 3-26-73 limestone with 1" reinf rod #741409 (1)

1/4 Corner Center 14 Cascade 107-14

2-1878 Hunter P329 No 323 S 14 R Elliot & others (S65°E J.O. 5" 7½ lks
Run true inters lines with transit set stake & took B true
-16 west set stake M & L. 20.02½. (132.65'
-16 north set stone 4x10x20 M & L. 19.96 (1317.36'
4" brook. N 84° W 24 lks - (15.84'
-16 south set stake M & L. 19.98 (1318.68'
-16 Center NW 1/4 14 set stake at inters lines.

1889 T Fraser P 437 No 424. S 14. Mr Carry.
found old stake remains P 329 by meas from 1/16 south
and finding part of witness tree renew stake and found
Meas so. to be about 19.99 a link more than Hunter (over

-16 North set marked stake by projecting line north recorded meas. 19.96. endually found no stone of record.

6-1952 JICar B55 P25 S14 R S & Gravel.
Run line from E 1/4 14 west set 1 1/4 pipe M&L. 1307.25'
found stone at center drive 1"x4' rod beside stone at Center 14.
40 D in 16" elm E 26.0 — 40 D in 24" elm N 15.0 up 19"
- Meas south 2632.67 set temp point midway 1316.33.
- corner inland from R S & Gravel hard to find in grant piles of fill.
- McGhee crew used corner winter 1968-9.

4-1900 R Fraser P665 no 591. S14 Richardson - Burch.
unreadable caption explaining stone & stake as center
by R Fraser who found stake and set stone at center

Mc B Nov. 1974 SE 1/4 14
elec. Trav. Msmts — East 2613.96
South 2639.44

#741409

(2)

Card # 2. Center 14 Cascade. 107-14.

3-26-72. found 4" □ limestone with 1" reinf rod on each side up 10" centering over stone. well hidden by heavy brush. north 100' or so from dike area from old gravel pits long unused. used line cut north and meas elect to north bank of river then on traverse to J Kerr. 1/16 corner pipe and large 1¼" pipe on north bank of river set 539.0' South of ¼ 11-14 in 4-1954 B 59 P16 by J Kerr. marked ½ mile from area near ¼ 11-14. Now pipe river - prated for 1/16 stone, will dig after traverse found properly corner 5/8" rod. 33' E of center road. will reference it & 1/16 corner

- results of north traverse. pipe at 539.0 actual 539.12 .11 east of line 1/16 pipe south 1314.3 north 1314.38.

or .08 too far east .04 too far south for perfect N & L. 1314.34

3-27-73 found recorded limestone at 1/16 corner between Center 14 and 1/4 11-14. 3' deep. .4' east and .9' south pipe in place set by J Kerr. 4-1954 B. 59 P16. C Boldman survey. M & L 1314.12
- Cont elect. traverse south of center 14 using line ran north 3-26 found small iron rod with 1/2" pipe nipple forced into rod on top. about 2' long overall. set. 6-1952 B55P26. set M & L 1316.33 to stone at Center 14 and pipe (when in place as 1/4 14-23. will search for Hunter's corner set. 2-4-1878 M & L 19.98 (1318.68
3-28-73 completed traverse Center 14 South to bridge bolt. total 2639.52 - found J Kerr rod at 1315.84 S of center 14. and 1.35 west of final line. set no corner M & L 1319.76
Set 1/2" rod on final line on dike top - will not be moved as dike a protective measure - 1277.24 N to Center 14 - 1362.28 S to final 1/4 14-23

1/4 CORNER CENTER 14 CASCADE 107-14 (3)

5/9/89 FD 1" IRON & STONE, IRON FLUSH WITH SURFACE IN WOODS, SET POST & SIGN 1.5' WEST

#741409