5-12-69 set C/M over bottom steel fence post under fence (#741704

1/4 corner 17-20 Cascade 107-14.

6-1892 2 hos Fraser P489 no 464. S 17 & 20 F Yomans T Crawford.

found SW 17 and 1/16 corner east at 19.97 - (1318.0' on direct line east at 19.98½ (1319.0 found stake or post under old fence. ~~covered~~ as corner. set new stake as corner. also found stake at Center 17 and 1/16 stake east at 19.61½ (1294.4 set 30 years before. with mean north from this 1/16 corner ~~4.~~ ~~34.91½~~ 38.91½ or ¼ ~~(2 34.4~~

5-1969 JKerr found 1/16 stakes between SW 17 & S 1/4 17 exactly as described - (2 stakes close together in line fence south and east (set ~~pipe~~ 3/8 x 3' between stakes & 3 stones on (over) N side stake

Meas center road west to 1/16 1318 exactly
Meas another 1319.0 then exactly 1294.4 To center road
east as 1/16 - former meas 1960's of 1294.4 from SE17 to
Center road which located corner are measured as correct.
found 12" wood stake (flat) 18" deep under fence no other wood
in area - set C/M. with old fence post broken off
above spade below C/M with glass etc under E-W fence.
- steel fence post up 3' just north of corner.
- 4" round iron post in concrete as corner of fence
running south and fence line south - west 27.0
or 1320' from center road east (set in error).
Could not find iron set in road survey. B63 P11 set
1294.59 from SE cor 17.

Met & B - 1973 ± elec. Comp. Msmts East 2590.68
West 2636.80

Cascade 1/4 corner 17-20 #741704 | 2
40.00 set temp 1/4 stone post
West on true line between
secs 17 & 20 V 9° 21
40.00 Set 1/4 stone post in mound
with 4 notch, posts, charcoal stake
& Osage Orange stakes N.E. & S.W.

July, 1857 John B. Fellows Pg. 27 No 43 used 1/4 Cor
Meas. North 40.36 to cor sec.
1/16 west 20 chs. M&L, 1/16 East 19.69 chs. M&L

July, 1857 T. Hunter Pg. 36 No 57 shows 1/4 Post.
1/16 West 19.80 chs. M&L to sec. Cor.
1/16 East 19.69 chs. M&L to sec. Cor.

June, 1863 P.C. Compton Pg. 75 No. 109 used 1/4 Cor to set
Center 20 and subdivide N.E. 1/4 Sec. 20

12S 5.34 - 12S 5.34

2-23-84, 1/4 Cor 17-20: Set sign and post 1½' South of CIM