A 10/7/86 SCT C.I.M. #741804 (1)

1/4 Corner 18-19 Cascade 107-14

10-1877 Hunter P321 No 315 S19 D Norman, C Eyer.
Corner post 4 fences overed by Fred Poster and
D Norman as in exact spot orig stake in mound stood.
- Meas west 38.25 to corner stone set.
-16 south set br. oak stake M&L 19.98 (1318.7'

7-1890 Thos Fraser P445 No 430 S18-19 Poster, Fredley.
found post P321 with marked wood piece tacked to post.
accepted post as corner (set 10x10x24 Note in field book P66,
6" BO S25W 1/4 lie question etc
-16 south. set stone 8x12x26 M&L no meas.
-16 north set stone 5x10x24 quarry on N-S 1/4 line at 19.95 over)

1959 McElhiney Mear from west to corner post 2524.5
which is recorded distance, may have measured from post
west as NW cor 19 found only recently.
1969 McElhiney Run south from corner post over ½ stone
found 1967 and set iron in blacktop as center of 19.

Survey #445 from orig note book states - Quote "found post as
spoken of in 321 marked. put in place stake and quarry stone
24 x 12 x 10 BT. Brok 4" S85°W 6 Links 3.96' "
plat in book doesn't show stone but BT of S63¾E 3.17

June 4, 1974 Co. Surveyor.
found 8" Sq. Top Limestone (could be T. Fraser's) about 1½' So. of
Cor. fd post. - Top of Stone down ±1'- McClintock Bette had P.K. nail
in Top of Post which was leaning East.
B.T. (±14" oak Tree - South - 4.5' To center of Tree)

Cascade 1/4 cor. 18-19 10/7/86 SET C.I.M. (2)
Gov't Notes M. Kennedy 1854
40.00 set temp 1/4 steel post
N 87° 53' E on true line between
Sec's 18 & 19 #741804
37.94 set 1/4 steel post in mound
with trench, pile charred
stake & Osage Orange stubs
N E & S W

10/7/86 FD LIMESTONE APPROX 10" X 10" AT MIDDLE BY 20" LONG DOWN 1' AND STANDING 1½' S. OF CURRENT C.P. TO FENCE N-S-E AND 2.3 W AND 1.0 SO OF OLD POST. DUG ON WEST SIDE AND PUSHED STONE WEST TO MAKE ROOM FOR CIM. SET CIM OVER ½" RE-ROD UP TO GROUND LEVEL. SET SURVEY MARKER SIGN 1 POST .4 EAST
SPIKE IN WEST SIDE 16" BURR OAK SSW 4.15
SPIKE IN So SIDE 3" BOX ELDER E 5.55