L 4-11-75 set 3/4 x 15" iron at intersecting 1/4 lines (1)

#741909

1/4 Corner Center 19 Cascade 107-14.

10-1877 Hunter P321 No 315 L19 D Normandy C Engen.
set granite boulder 8 x 10 x 27 by true intersections.
-16 North set Bs. Oak stake M&L 19.98 (1318.7'

7-1890 Thos Fraser P445 No 430 L18-19 Foster, Fridley
found boulder as recorded P321 after much digging.
-16 North set stone 8 x 12 x 26 M&L (No meas)

Very deep fill at corner, Co Hwy Dept. never used corner.

5-67 J Kerr. found 1/16 stone North exactly as P445.
which lies 1.5' SW corner post 4 way fence

over)

– Meas. ¼ 1/16 line from stone found west 2510.3
set pipes as prop corners from 1/16 on town line east
1170' then 495' then 845.3' or 2510.3

1969 M. Ghis projected line from corner fence past
accepted as N ¼ 19 over 1/16 stone and set rod
in black top road as center 19. It fell some 4' west
of fence running with at road. Fd - Stone 9' deep
– Meas east to ¼ 19-20 as set by County 2648.9±
Stone 2.7' East & 2' So. of Rod

6-4-1974 Co. Surveyor – dug with Tractor before
Road Grading – found Boulder as set by T. Hunter – 9' deep.
with piece of Limestone on Top of it.
Set 1" pipe on E. Side with Lots of Junk around Stone
Boulder lies 0.5' So. of ¼ line
R.P.'s – N.W. Cor. House – wood siding – S.W. — 95.05
Co. Surv. Disc. in R.P. # [redacted] # 21834 – North — 85.77

(2)

1/4 Corner Center 19 Cascade 107-14

#741909

4-16-75 Set 3/4" x 15" iron at intersecting quarter lines and reticd. Corner 10-12 ft. deep.

RP's C.S.D in power pole N. 85.12'

C.S.D in power pole # 21835 S. 47.5'

P

Corner lies 26' S. of ℄ Co. Rd. 4 and 2.4' E of line between pp # 21834 and pp. # 21835

Meas. East = 2643.63' Meas West = 2498.19'