Note: Statement on Certificate of Corner by RWB
#1142704

¼ corner 27-34 Cascade 107-14.
6-1970
corner once claimed to be east edge of N E corner post of natural gas fence. Fence now moved west no corner likely in place at all.

Corner falls on M.H. – 10.4' West of Rk. Nail and 33' or 50' So. of iron rods.
See Drwg No. 3-57

1936 - C.H.D. Book "A" page 56 wood stake at north end of Fence (1' North of Post)

P.132 A Robt Perry – checked. Stake in Mound to it To be M+L

Cor'l Wells ent. Kansas 1857
40.00 Set Iron 1/4 Stake post
West on true line between secs 27 & 34
40.00 Set 1/4 Stake post in Ditch
Mound with 4 notch. pits
Charcoal stake, & Ozark Orange sub
WE & S. W

May, 1857 Thos. Hunter Pg. 24 No. 38 used 1/4 Cor.
Meas. North 40.00 chs. to Center Sec.

#742705

5-26-65 set C/M over 1¼ x 20" pipe.

section corner 27-28-33-34 Cascade 107-14

No court house records

1" square iron bar down 12" in north-south fence

set C/M over 1¼" x 20" pipe.

RPs north gas pipe line marker post S 1.0

Nail in hub in power pole No N 65 S 75.5.

corner lies just under north-south fence.

No east-west fences - Massive road and 1969 industrial construction in area. ac corner was some 100' north center 7th street corner probably survived.

Govt Mon. in Mound with Brass Cap
60.00 set post for corner to sec.
27-28-33-34 in mound with bronze
plate, chiseled stake & Orange Ribbon
Steel set at each angle

10/23/86 SEC COR. 27-28-33-34 CASCADE
TOP SECTION OF CIM BROKEN OFF BUT REMAINDER STANDING
OK COR. 3'± N OF GAS PIPE