742709

1/4 corner Center 27 Cascade 107-14

originally 1" pipe – apparently found & used by J. Kerr
old Tie 6-15-1959 field BK 79 p. 13

40 D NE side Tele pole up 41 NW 50.0

No other RPs could possibly survive if corner at all.
- corner might be replaced by bordering subdivisions

1-14-1875 T.H. Book 4 p. 94

found stone at Center Sec. 27 in Center of Road set by R.J. Perry in Survey No. 163
Meas. So. To S 1/4 Cor. 40.04

1936 C.H.D Book 89 P. 74 Set 2x2x18 Stake at intersection of 1/4 lines - R.P.'s NE Cor Foundation - S.E.: 57.7 133.1 West (of & Per't
SW Cor. foundation NE - 66.7

C.H.D. Con't - p.1 Book 69
Meas. Con. 27 (stake set) To W.¼ 27 = 2650.3

1963 - Mc.&B. used 3/4" Iron in Casting

J. Kerr 6-1959 Field BK 79 p.13 fd - 1" pipe
indicates defl. in E-W ¼ line of 0°11.5' To North
Ties: 40p spk in Tel p. (N.E. side 4' up) NW - 50.0'
Spk. in R.P. - S.E. - 33.48'
40p spk in Top of Cor fe p - So. 39.5'

12-21-1954
3-22-1956 (Blue Book) McGhie shows 5/8" rod at corner

May 9, 1857 Thos. Hunter Pg. 24 No. 38 used center Sec.
Mees 40.35 chs. North to ¼ Post, 1/16 East 19.30 chs.
Mees South 40 chs.

"742709" C

10-28-98
MW EA

✓Center 27 107-14 Cascade
Fd Iron in Casting in 19th St. NW
in good Condition

CEN 27 107-14 CASCADE "742709" d
FOUND 7/8" ROD IN CASTING IN GOOD CONDITION
CORNER FALL IN ℄ OF 19TH ST NW 107 1/2' W
℄ WEST FRONTAGE ROAD NORTA.