1 3-29-79 Set c x m over ¾" rod w/ sign + post 1' west #742904 (1)

¼ corner 29-32 Cascade 107-14

10-1892 W Fraser P554 no 511 S32 L.T. Fitch Engr.

found marked stake set stone in its place

-16 east set stake M & L 19.77½ (1305.15'

to fence post used as corner by Hunter.

4-1858 Hunter P52 no 75 N½ S29.

shows center 29 as corner indicating use of S¼ 29 at that time.

11-19-71 Co surv. 2 days trying to find above stone. consulted aerial photo - attempted to tie from road south (not on any line) and woods line north (running west) came up with nothing. McKiernan E W line aerial from C/M at 29-32 71-32

over

to 28-29-32-33 both set by JKerr., cored quarter corner.
- line fell 126' S at E end line - 63' N came.
53.6 = (63' ⊙ to state rod)

- found 3/4" smooth rod set by Minn Hwy dept up 2" about 6'± west of N-S fence. State rod. N to line run below 26.8; 63' ⊙ to " " " 80.4

- ran exact parallel line of 1/64 fence south 667' prog. line from SE 29 west to area of 1/4 29-32.
set POTs at 1305.15, 120 ⊙ at 1495.0 (3' SE blazed 10" tree).
1664.2 (east end in woods), 1862.75 (near west edge woods)
2599.0 (2' E N-S fence and set 1" conduit at 2610.3 with
piece of steel fence post 8'± west N-S fence. wove bed rail
in utmost wire fence each of corner. Never tied state rod or
m' this line exactly to this corner. probed for monu found nothing "O"

#742904 (2)

1/4 corner 29-32 Cascade 107-14

January 1974

Reset this quarter corner at the intersection of the south line of section 29 and the N. S. 1/4 line of sec. 32 after very much probing and digging.

R.P.'s
Corner falls under the fence and about 900' N. of the E:W road.
51.33 W. to 12" d in E. side 12" Oak.

2-22-84, 1/4 Cor 29-32: Shot CIM from TT#3. See Drwg 8-107-14-6

3-29-1979

Visited corner and found 3/4" rod set in 1974. Set C.I.M. over the ~~rod~~ rod and drove a post with a sign 1 foot west of the C.I.M. Also checked the reference to the oak tree and took an additional R.P.

C.S. disc in W side of Boulder S 5.0'

Cont. N 0°15' W, 1551.40 set temp 1/4 sec. post

West on true line between sections 29 & 32
40.00 set 1/4 sec. post V 9 "24"

Jack Oak 7 W 20 W 22 C

Ray Marsh