#743004

9-19-1968 set C/M over pipe in place, with parts of orig stone & smaller pieces of rock & brick around corner. Found 4 5 small piece stone brick metal are headed. ①

¼ corner 30-31 Cascade. 10 7-14

12-1921 J Kerr B 374 B L 31 Surveyor St Francis.
found limestone 3½"x17" set iron pipe below.

Meas south 2627.4

Meas west to center railroad. 1299.6'

1358.4 to property line or ⅛ corner porp. when

1171.7' to iron pipe section corner set in place old stake with stone 4x5x19 by side.

over.

9-1968 J Kell. found stone - pipe below and 45 pieces, stone brick & metal and old axe head.

- Corner lies 2.2' east of fence running north & south.

- In measuring in from ℄ R.R. R 988.0 found as follows

℄ railroad N 986.3 -

(Meas N of cor)

℄ east bound N 8 ~~44~~ 42 in line fence north of highway 934.8

℄ west bound N 8 ~~44~~ 42 in line fence south of highway 833.1

- bottle cap in new fence corner post on north side Deep road, also power pole line S 260.5

Cascade 1/4 corner 30-31 [#743004] 1 2
40.00 Set stamp 1/4 sect post
N 89°47' East on line between Sects 30 & 31
37.25 Set 1/4 sect. post in mound
with brush pits, charcoal stake
& Osage Orange scribe WE 15W

Aug. 1857 T. Hunter Pg 36 No. 58 Must Have used 1/4 Cor.
to set Sec. 30 Center