#743106 (1)

9-30-1963 set C/M over pipe.
6-22-72 remove C/M for grading.

¼ Corner west ¼ 31 Cascade. 107-14.
east ¼ 36 Kalmar 107-15.

9-1874 Hunter P260 No 259 NE ¼ 36 Sterling Cross.
found original stake in mound. used for line north

12-1921 Armstrong-Kerr P374 B. L 31 Lister of St Francis.
Corner gone set limestone and iron pipe M & L 2635.45
N 12° W
1/16 east set iron pipe No mear S 89°49E To Center 31
set at intera lines.

Mear NW 31 to N ¼ 31 2529.5
Mear S W 31 to S ¼ 31 2510.5
No mear back from this corner but set pipe corner E

Corner used many years

9-1963 set C/M over pipe.

Sp power pole. NE 97.9 ✓ gone 6-1973

120 D 20" burr oak FD (6-1987) E 139.3 County 1968: 193.3'

" 20 D " " 24" twin BO SE 136.7 (6-22-72) FD ✓ SE 123.0 ✓ FD burr oak pole 6-1987

Corner lies 9.0' north of fence line running east.

Co H D B335 1968 found C/M RP above Note diff

Meas south 2632.15 corner a PI no angle given

Sta 158+32.15 Meas north 2631.65

6-22-72 Mirrored C/M for grading set marking as above in.

1936 - C.H.D. Book # 81 page 24 & 25 - found a limestone monument here set by C. H. Armstrong in 1921

1/4 corner West 1/2 31 Cascade 107-14 #743106 | 2

East 1/2 SC Kalama 107-15

Gore Notes

40.00 Set pipe & nail - chained due to power pole

Station corner

Chery 10 D 49° 30' W 276 Ln Ft.

Bur Oak 10 D 550 W 210 Ln Ft.

6-30-83, W 1/4 Cor 31: Set CIM over a 5/8" re-rod as corner in ℄ C.R. 104 and on line from T-bar found at the SE Cr Lot 1, Blk. 2, St. Mary's Hill, over 1/2" pipe found at the SW Cr Lot 1, Block 2, and 50.00 West of said pipe. Dist. pipe to T-bar checked ok both as platted. Also found T-bar at the SE Cr. Lot 2, Blk 2. Measured 283.49 T-bar

to T-bar. Line of T-bars projected .06 North of corner as set. The two remaining R.P.'s intersected .1 North of corner as set (12ob in So. side large Bur Oak E 139.3 and CHD disc in SW side twin Bur Oak SE 136.7)
Found 5/8" re-rod down 1' in rock beneath blacktop .05 West of corner as set but bent over to the North. Spike at surface of blacktop .10 West of corner as set straddles — 1.33 West of E nail
RP's: CSD in power pole (above CHD plastic disc) SE 62.11
5/8" re-rod on shoulder of road (traverse pt. "St Mary Hill") NE 25.47