7-20-1964 set C/M over 3¼x16" pipe with halves of
org stone on north & south sides C/M. below surface.
#743206 (1)

¼ corner 31-32 Cascade. 109-14
10-1894 Sr Fraser P554 ns 511 & 32. L Pratt, H Engle.
found remains stake center mound, pits plain set long limestone below.

12-1921 J Kerr B374B & 31 Sisters St Francis.
found limestone 4x4x28 with cross left as found
did not apparently meas lines west & north-south.
used for line west - set something at center 31 and
1/16 iron pipe.

10-1961 J Kerr B84P23 & 31 John Hennessey
found corner easily, meas & run line with transit from did not
above ¼ corner north to ¼ 29-30 5244.24. to set the

(over

section corner 29-30-31-32 which was set midway under fence only. Fence row 20' wide eminence brush hag.

B84 P21 run transit line 1/4 31-32 north to NE 31. 2622.12. set rod in ℄ road as prop. corner at. 1941.71 from above 1/4 cor. 707.41 to NE 31.

1/4 31-32. lies 1' SE large oak post in N-S fence. no E-W fence. Drove 4x4x28 stone in half pint holes on N and S sides C/M. below surface. pasture lands.

Meas south only record 11-1856, Hunter P19 no 31
19,68 1/2 M & L. 1299.2
Ch. Armstrong - Field book "E" P. 101 Dec. 1921
Fd - Limestone as corner. Meas W. To Center 31 = 2633.4

Cascade 1/4 corner 31 + 32 #743206 (2
Cov'y Waters Vol. Kanuk 155/
40.00 set 1/4 stone post in mound
with trench, pits, charred stake &
Osage Orange scribed W. E & S. ec.

Nov, 1856 Thos. Hunter Pg. 19. No. 31 shows 1/4 Post.
1/16 South 19.68½ chs. M&L - B.T.'s (N 70½°W 72½ lks.)(S 35½°E 57 lks.)