6-17-1964 set C/M over 5/8"x10" rod. #743504 (1)

¾ corner south ¼ 33 Cascade 107-14.
north ¼ 4 Rock 106-14.

10-1892 W F Fraser R495 No 468 S3&4 Dorsey Waldron.
(see field notes in Book 8 p. 32-37 T.F.)
Corner completely gone. - found. B tree & stump
reset corner - set stake with stone by its side
- west set stone 4x8x24 at 14.82½ (978.45' from
NW cor 4. also point M&k 19.87½ (1311.3
- 16 south. 19.57 (1291.62' then 19.87 (1311.42' To center 4.
boulder with stake
- east 14.87½ (981.75 to stone 2x12x16.
then 9.91½ (654.4 to stone 1½ x10 x15 over

then 14.87 1/2 (981.75' to stone by post 2 rods N of corner (gone)
- corners east of 1/16 corner south of N 1/4.

14.82 3/4 (978.6' to stone 3 x 11 x 20 then
9.88 1/2 (652.4' " " 1 x 12 x 15 then
14.82 3/4 (978.6' to 1/16 cor.

2" x 3' pipe at N E cor country club used as corner.
6-1964 set C I M ones. 5/8" x 16" rod.
- leg screw in blazed 28" white oak SE 9.85
- center 6" elm (corner near under tree) W 1.3'

Corner some west 200' ± of steep field lane on steep slope. lying just east of farm buildings

J. Kerr 1941 Book 25 p. 68 - plat shows 2" pipe as S 1/4 33-107-14
Meas. N - 2654.5 — Meas. West 2619.2'

#745304 (2.)

1/4 Corner South 1/4 Sec. 33 - Cascade 107-14
North 1/4 Sec. 4 Rock. 106-14

Orig. Gov't Notes: Oct. 4, 1853 John Ball

Sec. line Between Sec. 33 & 4

40.00 chs. set Post for Qr. Sec. Corner

White Oak 8" S 78° E 16 lks (Note: this tree standing in 1978)
White oak 8" S 44° W 19 lks.

68.00 Brook 8 lks wide run N.E.

80.00 set Post & drove charred stake To Sections 4-5, 32 & 33 Built mound

¼ Corner South ¼ 33 Cascade 107-14
North ¼ 4 Rochester 106-14

W. Fraser's Prop. Cor. 14.87 1/4 chs East.

9/15/78 Found W. Fraser's stone with stake & old post on W. side under the E-W fence and in line with old fence ridge South.

1/16th East 9/15/78 Dug for the stake and stone recorded by Will Fraser on P. 34 of Old Field Book 8 dug from the fence line south for 3' and from a point at W. Fraser's full measure from the N¼ 4 West for 3½' by 3' deep. Found nothing.

1/4 CORNER SOUTH 1/4 33 CASCADE 107-14 (3)
NORTH 1/4 4 ROCH 106-14
8/30/89 FD CIM IN GOOD COND. GROUND
CUT ± 7' 6' NORTH OF CORNER, FOR A RD.,
SIGN, POST IN PLACE
#743304