#743405 (1)

6-17-1964. set C/M over stone 99.11 from South end
7-18-75 Reset 16" C.I. Survey Marker
section corner south 33-34 Case 107-14.
North 3-4 Rock 106-14
10-1892 Thos Fraser P495 no 468 & 3-4 Dorsey, Waldron
(See field notes in Book 8 p. 32-37 T.F.)
Corner gone. found stone set by Hunter 2 rods north
& remains of bearing trees. reset corner.
-16 south set stone 2x5x14. at 19.91½ (1301.2'
then south to ¼ cor 19.81½ (1309.8'
-16 east set stake M&L 20.02 ¼. (1321.48'
- west set stone 1½x10x15 at 14.87½ (981.75'
then stone 1x12x15 M&L
then stone 2x12x16 at 9.91½ or 24.79 (1636.14'
then 14.87½ to N ¼ 4 or. 39.66½ (2617.9' (over

small pipe mark over stone in place many years.
6-1964. set C I N over stone to hold corner.
MHD disc power pole gone. ~~SW 29.0~~
" " tele " gone ~~W 45.25~~
Brass in south end culvert NW 22.4
corner lies in center 23 rd ave running south
and visual line pavement east beyond curve.

6-9-70 Checked corner will be road work done soon.
corner 7" deep may not disturb -
- head of 40 D nail (may be BM) on SE side Mass Cable pole SW 27.17
- punch mark in round head in N end 24" driveway culv SSW 66.01
- 40 D. nail on E side 16" elm (dual end culv ht) ont 4" SSE 69.6.
- 40 D " " SW " 18 elm (old ht) SE 46.1

Kerr 1956 Bk 0 P.70 3/4" pipe over stone - Ties: ~~SW 30.3~~ - End sp - W 42.5

#743405 (2)

Section Corner South 33-34 Cascade 107-14
North 3-4 Rochester 106-14

7-18-75 Reset 16" C.I.M. (Survey Marker) using nails set 100' and 200' on section line to south by City. Set monument over ½" x 18" rod.

R.P.'s C.S. Disc in power pole S.W. 32.93'
C.S. Disc in power pole NNE 84.87'
Center 10" Walnut WSW 43.7'

W. Frozen Prop. Cor. 14.87¼ ch W.
9-15-78 Dug on the East side of the C.P. to the fences West and South. Found nothing. Full

W. Frank measure from ~~the~~ the N'4 Cor 4 came 3' East of the corner post.