X 5-26-32 set C I M over orig 1870 stone & wood. #750104 (1)

1/4 corner 1-12 Kalmar 107-15

6-1870 Perry P122 No 157 & 12. Grasley.
found old stake standing opposite N-S fence, averred by all.
set stone 2½ x 7 x 27 and unmarked oak stake 1314.06.
– 1/16 east - set stone 2½ x 9 x 16. M & L 19.91. for line & 1319.34.
– 1/16 south - set stone 3 x 5½ x 16 & stake marked M & L 19.99 line E
– 1/16 center NE 1/4 12. set stone 2½ x 8 x 20 - Mean S. 19.98¼.

6-1873 Hunter P232 No 234 & 1. Bowman & Grimm.
found above stone - P 122. Due north
– 1/16 north set stone 2 x 2/12 x 15 with stake on N side M & L 19.89. 1312.74
– 1/16 east found stone P122. M & L 19.87. 1311.42 S 89°55' E
mer)

-1/16 center SE 1/4 | set stone 2 x 8 x 20 inters lines
-1/16 west plat shows stone (no meas) Elm 2' S47½ W 7 3/4 lks.

6-1930 J Kerr B3 P40
found stone - set 2" wide pointed limestone as witness
stone south 28.6'
- meas west 2635.0 to SW cor 1.
-1/16 west found stone - set RPS
+ in west headwall culv SW 22.5'
" east " " SE 18.46

11-11-71. found rod set by McShie meas south found. Thin boulder pile about 3 x 7 x 12. only deep stone in area. enormous pile of lime rock in fence corner NW new fence W & N other fences almost nothing. - found old post stub down over 3' - NW & SW 3 to 4' delta higher than low lands easterly; creek 80' ± south. Meas about 1317.6 set old well point 1" x 3½' on E side of stone up 8" 18" SE corner post.

Card #2. 1/4-12 Kalmar 107-15. (2)

11-11-71. Meas east from rod found. #750104

1/16 fence running north 1315.0 set nail.

Set nail in crossroads at 2628 about 3' east center + roads

47.9 NW to long cone nail on NE side new corner post

57.08 NE To Twp cap on SE side power pole.

R Perry 1870 1/16 stone 2½ x 9 x 16 MBL 19.91 1314.06

Hunter found same stone MBL 19.87 1311.42

5-26-72. found 1/4 1/12 2 stone as recorded 2½' deep at rock.

set iron bg stone with glass etc + set C/N over all.

Corner 3.6' north and 2.65 east of M'Elhe rod.

Corner 3.5' north center of road and 2.5' E of fence SE

Meas now SE. To orig set. 1321.2 R1319.34. [illegible]

100' S To ½" x 25" round iron up 1" under fence.

74.38 ENE To pipe cap on S side PP # 4, 587.

43.5 S E To east edge blk cable post of warning sign

Meas east to fence north nor 1312.35 } K Berry M&L 1314.06
" " " nail intere " 2625 35 } Hanlen - 13 11.42

6-1-72 Co surv - dug for 1/16 E, found limestone ~ recorded size, down less than 2' tipped slightly west & broken. - set no riser or R P S Nail 11.2 S & 5.5 E ties to stone temp - not rec.

Iron stone 1310.83 W 1312.55 E believed corner N & direct line 1.0 ±

6-5-72 Elec Meas from final corners 1/4 1-12 and E 1-12 ac no riser set on 1/16 stone found badly tilted, reset 1/16 corner with ½" x 2' rod. M&L 13 11.85 No R.P.S. stone W & N 1' ±

Kalmar 1/4 corner 1-12 #750104 13
Govt Notes Karrick 1854
40.00 Set temp 1/4 Sect. post
West on true line between sect 1+12 W 9° 5'
40.00 Set 1/4 Sect post in mound with trench, pits
Charred Stake and Osage Orange seed N.E 1 S.W.

(750104)

7-6-99
MW AE

1/4 Cor 1-12 107-15 Kalmar
Found CIM with head broken
OFF down 9" in crushed Rock
65th St N.W. The corner falls
2' North of ℄