X 6-7-72 set CIM over 1"x12" pipe stone by pipe below

#750105 (1)

section corner 1-2-11-12 Kalmar 10 7-15.

6-1893 Hunter P232 No 234 SI Bowman & Grimm

Corner not mentioned but shown on plat as stone also referenced stone as 1/16 east and stakes north at 10.02 then another 10.02 as 1/16 north.

1-1882 Hunter P371 No 262 SII F Foster, C Finn.

found stone with stake on south side

- Meas west 39.87 2631.42 to corner reset from unmarked BT stamp

- 1/16 south set stake, marked, M & L. 19.94. N40'E

Bearing of line west above 1/16 cor N 89 1/2° W 1316.04

over

6-1930 J Kerr B3 P41 &1

found corner stone

- 1/16 east found stone 1316.5 with reference

+ west headwall culv & W 22.5

+ east " " & E 18.46 now big B T road

8-27 Co H D B 5 1 P 75 found no orig corner at 1/16 E 16 east found witness elm - 33' W + S of Aner.

1320 east to 1/16 corner as used.

6-7-92 dug with tractor - found iron set by J Kerr 1930 at 1/64 and 1/16 corners north. - 1/64 just east of Corner post & fence east - now bigger pipe over iron found - 10' this pipe fully 2' north and about 5' west in higher land. NW & Corner post Lee East 2

#750105

Card # 2. 1-2-11-12 Kalmar 107-15-

(2)

1/16 run set by J Kerr 1930 found seems to be a pump plunger rod which fits above pump rod running down to Cylender abmt 5/8" x 1 1/4" setting just East of corner post of fence east, little north - after finding 1/64 corner dbg. further east and found position, undisputable corner stone found by J Kerr and Hunter. 1882 4" x 6" x 16" shattered stone by frost and age - stone 7.15 east and 2.0' south of. 1" □ x 4' long rod set by M'Ghee as corner in line fences - set 1 1/4" x 12" pipe with cap with reducer and 3/4" x 6" pipe coupled - set small end down with

over

C I M above and stone pieces near pipe below.
4.85 W To eye line & east side near P Pole
and mark line power poles running south.
150.6 W & W to orang cap on S side tele pole.
30.75 S to Mc Ghie nail in E side tele pole McG. 33.9
41.2 5' W & S to cap on W side trans line
power pole # 40009.
took no meas to date from corner. J Ken had meas N-E
corner post & center road about 5' E fence N & S.
9-8-72 meas west elect. 2630.11 to ½ 2-11 then 2637.62.
R 2631.42 2639.34
1925 C.H.D. Book # 38 page 57 They had a stone monument

Kalmar Section corner 1-2-11-12 #750105 | 3
Govt marks Kalmar 1954
80.00 set post for corner to sect 1-2-11-12
Erected mound with trench pits, charcoal
stake & Osage Orange scribed at each angle

✓750105

7-6-99
MW AE

Sec Cor 1-2-11-12 107-15 Kalmar
Found CIM in good Condition
deep in Crushed rock 65th
St. NW. The Corner Falls 3'
South of ℄ E-W road and 4'1/2' East
of eye line of Power poles South