No records set slim limestone east of corner post, found O.
3 to 4/66 SINCE FANOMAN SET ½" PIPE CAP JUST WEST OF STONE (1)

#750506

¼ corner 5-6 Kalmar 107-15

4-13-71 govt records from ¼ 5-6 north to N 5-6

S ½ 1320 20 chs N ½ 20.14 1329 24

- meas from rod set N 5-6 south,
found 1/16 fence west at 13510 R 1329.24
found ¼ fence west at 26800 R+1320 2649.24

Common land on east side of line south above corner
no fence as in place only witness to possible corner.

- corner area on steep wooded slope - limestones in area
set slim limestone vertically east of corner post

over

also. wood stake by stone - very wild rugged area.

2 grid Bearing trees

Black Oak [illegible] N 20° W [illegible] 15 lks

White Oak [illegible] S 3° E 108 lks 11.28

Gov't Meander Corner 1951

Wood post temp 1/4 post post

South 40 rods to Gov't meander 3rd 5 L

W 1/4 Sec 1/4 Sec post

Black Oak 6 N 50 W 30

White Oak 15 S-3 E 108

3-1988 Vince Jayman found Rozzi limestone on East side of corner post. Set pipe by stone. Used for quarter line of Sec 6. No white oak in right position, but Black Oak N 1/4 would put corner 15" I South. Found rod @ 1/10 N by C.C.

#750506 (2)

1/4 CORNER S-6 KALMAR 107-15

3/24/88 VINCE FANGMAN SET 1/2" PIPE JUST TO THE WEST EDGE OF SMALL STONE SET BY R.B. IN (1971) CORNER 1' EAST OF CORNER POST
SET STUBBED -T STEEL POST 1.0' SW
RP's 31.08 TO 30D NAIL IN 6" ELM NNW
10.60 TO 30D NAIL IN 24" BLACK OAK S.W.
21.59 TO 30D NAIL IN 6" COTTONWOOD N.E.
DROVE 30D SPIKE IN THE SOUTH FACE OF A 24" WHITE OAK ±80 NORTH FOR SITE ONLY (STATE PLANE BEARING TO TREE FROM CORNER N 00° 47' 31" E)

10/27/88 VISITED CORNER LOCATION TO LOOK FOR WITNESS TREES AND LOOK AT THE FENCE INTERSECTION WHERE R.B SET HIS STONE IN 1970. V.E. PIPE/CAP IS ON W. EDGE OF ROGER'S STONE; THERE WERE NO TREES THAT MATCHED THE BEARINGS & DISTANCES