X 11/16/78 CIC/p² over stone (Will not accept or file until sub. further ①
8/7/89 CHD SET 5/8" BRASS PLUG

section corner west 6-7 Kalmar 10 7-15
and D County.
#750605

4-1897 H Fraser P 607 No 552 S.T. J Hoffman.
found stone boulder with cross cut ~~in cedar~~ on Hop - planted as corner
- meas south. 39.74 1/2 = 2623.17 to M & L.

9-1936
11-1947 Co Hwy Dept. B 84. P 76
found boulder. with cross

1 tub	30"	boxelder	SE	83.7.
"	12"	twin oak	SW	66.4.
			NW	58.1
file pole			SW	60.5'
10" oak				

(over)

fence post	NW	68.3
tele pole	NW	58.1
10" oak	SW	60.5
~~tele pole~~	~~SE~~	~~34.5~~

11-1946. J Ker. B32 P43 Plat & survey of Sec 7. found boulder - 5247.85 from SW cor 7, 2623.92 from W¼ 7. also 1/16 stone S of W¼ 7 1311.15 from SW 7.
RP NW 7. 83.7 SE to 30" br oak.
66.4 SW to 12" burr oak. all had Hudson bay
68.3 NW to fence corner post. at that time.

Dec 1892 A.A. Crampton fd lime stone set by former surveyor
1/16 North set Iron Rod 19.93 M&L
1/16 North of ~~SE~~ E. Sec 1 Cor set Iron Rod 9.96½ M&L

(2)
#750605

Section Corner West 6-7 Kalmar 107-15

11/14/78 Dug with the backhoe and found recorded W. Frame stone w/cross plain (12"x14"x21"H down 20". Drove a 1¼"x16" shaft in the stake hole found on the W. side of the stone. The stone falls in ℄ Rds. N-S & W and 2' South & E. Of 1¼" shaft (unmarked) found in place on Rd surface and used as a traverse point was 1.85 West and .85 North of the stone.

RP's Spike in N side 1st large 15" pine E 111.80
NW Cor. Main House Fdtn. SE 112.60
Sp & CSD in N. side 17" Burr Oak SW 145.21

11/16/78 Set a CIC/16"p² as the corner. Chained to the 1/64th N. which was an iron set by Crampton. The point came in a slight cut in the road. There were no fences E and W. Dipped over a large area with the C.H.O. dip needle. Picked up nothing

Gov't notes Between Ranges 15 + 16 West
North Between Sec 7 + 12
40.00 chs set Gr Sec post
80.00 chs set post corner To Sec 1/c, 7 + 12

Black oak	10	N 22½°E	238	lks
Black oak	14	S 70½°W	442	lks

SW 54.5 SG
CSL in N'ly side of #23144
Plastic Disc @ SW (for Sec Cor) SE 85.4'
Old diam. iron pf
SW 54.9'

7-11-85, W 6-7 Took ref. before road grading. Drove 5/8" rod under fence running east (Fc line appr 4' N. of cor)
π @ Rod: measure to W 6-7 95.75; & Rt W 6-7 to center pole (of 3)
N-S transmission line south east 112° 09' 26"

SECTION CORNER W 6-7 KALMAR 107-15 (3)
E 1-12 DODGE CO.

8/7/89 C.H.D. SET 5/8" BRASS PLUG IN ℄ OF C.R. #5 RP's #750605

C.H.D. DISC IN P.P. SW 60.94'

CHD DISC IN NW COR OLD SCHOOL HOUSE SW 86.5'

CHD DISC IN C.P. E 44.55'

CHD DISC IN SW COR OLD SCHOOL HOUSE S.E. 85.42'