5-8-1968 set C/M. over iron cash weight with original stone on north side of C/M (1)
section corner. 10-11-14-15 Kalmar 107-15
#75105
10-1858 Hunter P57 no 83 SW 1/4 11
used corner - meas east 40 chs (2640' S 89° 55 E
-16N set M & L 19.95 1316.7 N55°E .41 S 5' W.
S67°E .37

5-1870 R Perry P111 no 148 S14 C. Finn.
found bottom of old stake in mound with top lying
on ground, set boulder stone and new marked stake
with old stake beside new one, renewed mound and pits.
-16E set stone and marked stake
no description or measurement.

(over)

3-1873 Hunter P 217 No 221 & 15 J Fairchild found corner in mound P 111. C Finn
-16 W set stake M & L 19.94 1/4. (1316.2 for line S. to the N 1/4 15 which was reset by meas from witness trees - bearings & courses did not agree.
- Meas S. 39.87 (2631.42 To indefinate Corner.

1-1882. Hunter P 371 No 362 & 11. F Postier, C Finn. found stone and stake P 111. No meas.

4-1892. Thos Fraser P 482 No 459 & 14 Chas Postier found stone set P 111.
-16 E found stone set by Perry with stake on N side, proved to be M & L 20.07 (1324.62

see card #2.

Card # 2 10-11-14-15 Kalmar 10-7-15. (2)

P 482 Con'T. — See T.F. field BK 8 p. 21 #E1105

Meas south 39.83. (2628.78 To stone found

—16 N. found stake set by Perry, reset by Hunter,

Field Book, meas. 20.05 M+L — Error in T.F.

set stone 5 X 8 X 25 in its place with B-tree

12" Black Oak S 16° E 6 1/4 lks (40.42

6-8-72. ran and meas east. found boulder ae 1/16 corner

10 x 11 x 16 setting with most pointed part up in

clean dark soil. 4 feet deep in east ditch of farm

drive (set 1/2" x 4' rod over center stone) Meas 1324.62.

RP 1/16 corn. 44.5 NEly to bottle cap on SE side PP# 21497.

33.15 N to punch mark on top anchor johnnie ball)

northerly of 2 (westerly pair of 4 anchors)

8.0 SW to punch mark in root head near top center 18" calo. E end.

Cont line & meas east could not find 1/4 corner 11-14. as recorded, dug entire area with back hoe. corner removed in grading road on curve. set corner.

5-8-1968 J Kerr B 96 P 70 Clyde Hoffman survey found boulder and remains of wood stake. set C/M over sash weight with org stone on N side and steel fence post .5' East of C/M. which fell. 1' N/4 corner post 7.35 NNW to drag torch driven E side 36" burr oak. Meas S to C/M set by corner post as section corner in this survey. 5285.85. Set 1/4 corner recorded meas south. 2628.78 from NW corner 14.

Kalmar Station recorded 10-11-14-15
Geol Notes Kerrick 1954
#751105 (3)
80.00 Sta/ post for corner to sec 4, corner 11/12
recorded mound with trench pits, chained
State of Osage 0.4 mag = steel at each angle
No iron buried cross head

12-7-1981 Shot C.I.M. which stands 1' north of C.P.
as recorded but the steel fence post is .5'
South not .5' west as stated by J. Kerr 1968
notes