51305 #1

~~8-17-67 set C/M over 1¼ x 18" pipe with small rod inside.~~
10-4-68. " " " orig. std

section corner 13-14-23-24. Kalmar 107-15.

see back attached card

No records, no evidence, no knowledge of corner.

1965 J Kerr set 120 D on meas from west and line from north at ~~NE~~ NW corner 13. accepted for survey tract of land south of blacktop in NE¼ of SE¼ Sec 14.

8-1967 run & meas line from NE 14. paralleling fence and hit 120 D exactly at meas see ¼ 13-14. accepted for work in NW¼ 24 set C/M. in place of 120 D over 1¼ x 18" pipe RP over.

Center 24" burr oak 50 S of W ~~55.5~~ 49.5

• NE corner house (old school) S W ~~94.1~~ 89.6

Fotde cap E side tele pole near tele bell riser S S E ~~79.8~~ 82.45

outside of splice in concrete headwall west end culv S W 21.6

Corner lies barely north of fence east within 3' of east edge road.

RPs after finding true corner: 13-14-23-24

Meas north to NE cor 14 5282.65

" east to north-south fence 2602.0 set 120 ℄ north of post.

" " " C1M SE 13 5246.9

" south to 1/4 23-24 set M&L 2638.85

" north to 1/16 rod 1322.65 line fence west. 21 E ℄

new corner .6 north and 6.15 west of orig C1M set.

10- 344 68.

S13-14-23-24 Kalmar

found stone placed in unrecorded survey Hunter 1880

6.15 East & .6 north C/M placed 1965

New tile center 24" Book	S & W	49.5
NE corner old school	S W	89.6.
boule cap E side tile P	S E	82.45
outside of spruce in cone headwall center, W end.	S W	21.6.

---

record South 19.88 To stone 1312.08

then 1312.08 To stone W 1/4 24 then

40.15 (2649.9 To stone S W 24.

total mile record 5274.06 act 5278.3

5-1880 Hunter unrecorded P111 No 358
old court house book
found old stake set alone 2 x 4/6 x 26 found 10-4 1968
- 1/16 south set alone 5 x 5 x 16 M & L 20.04 (1320.66)
found 10-1968.

1/16 cor. South of N. 1/4 cor. 24

#2

Section Corner 13-14-23-24 Kalmar 107-15
#751305

7-26-76 Took additional R.P.'s to CIM
NW corner of home foundation SW 113.85
Spike in S. side of huge Oak with
growth on N side SE 161.8

Gov't Works Karnak-1854
80.00 Set post for corner to section 13-14-23-24
Erected mound with trench, pits, charred stakes
Osage Orange scribe at each angle