10-7-1968 set C1M over orig stone glass etc (1)
#752406

¼ corner 23-24 Kalmar 107-15

5-1880 Hunter unrecorded survey P111 no 358 old book
L24 H Poster, L Miller

stone 4"x8" top placed on found from original corner.
– 1/16 north set stone 4x6x18 M+2 19.88 (1312.08).
– Meas south 40.15 to stone set from orig stake 4x6x18.

10-1968 J Kerr found stone, 1/16 stone north and Sec stone N.
- Meas from NW 24 to 1/16 1312.08 -.45 (1311.63.
" " 1/16 to above 1/4 cr 2624.16-1.2 - 2622.96 or 1311.33
set C1M over stone & glass etc
- east set rod opp mail box on line at 1331.55 for prop corner
rod has 1" iron about 35' north as corner. (over)

RP to 1/4 corner Note 6-12-72 found 23-24-25-26 Meas & Rec 2649.5

Disc in power pole brace pole only SE 39.35
" " " " # 21739 SW 41.58
" " " " # 21738 NW 45.5
" " " " tar covered. NE 53.9

found corner easily with tractor very near center + roads

1/16 north found stone with tractor not so easy. stone slightly tipped - deep fill. reset as good as possible stoned here waited till found 1/4 south - Rec'd 1311.63 north 1311.33 south. R 1312.08
RP 1/16 2½' west of ℄ road surface - ~~Disc top Cor post E 35.0~~ M&L
rod on 1/16 line E 33.0 - Disc east side pp#21733 NNE 102.6.

6-9-72. 1/16 N. corner post east gone - 33' rod stub in place.
PP stub in place. —
— Meas by Zap to rock 1331.55 Set 1969. Rec 1331.65 which
Lies 10.65 S to Mail box post - 34.96 NE 1" rod. Meas east to Center 24
Zap 2633.1

Kalmar 1/4 corner 23-24
Cedar Rapids 23-24 Kalmar 1954 #752406 IZ
40.00 set 1/4 steel post in mound with
trench, pits, charcoal stake, 4 Osage
Orange trees NE 1 5.62

~~WEST OF 1/4 COR~~
16