1 6-10-1968 set C/M over 5/8 x 16" iron Centered one post fall ed.
8-12-91 Set shorty C.I.M.
section corner. 25-26-35-36 Kalmar 107-15 (1)
6-1870 Perry P128 no 160 & 26-27-34-35. Waldron.
found stone now set by Perry 7-9-1867. #752505
- meas west 39.82 To stone 1/4 cor then 39.86 To. & W 26.

6-10-1968 J Kerr & 35 REA substation
dug extensively 3 times 4' wide 12' long to clay. corner stone recorded 1870 never used later gone others dug for corner.
set on line over 1/16 stone from NW sec 35 east. This line came slightly north (.25') of 1/4 corner 26-35 maintained line over 1/16 corner as is. set on figured proportion from above survey. record NW 35 to N 1/4 35 2630.8 actual 2633.6
(over)

Record N'4 35 to NE35 2628.1 set at 2630.9

Meas south to ℄ E35 5287.0
" " " ℄ RR 3046.35
" " " C/M set 2643.5
" east " " 5266.5
" to 1/16 fence east 1308.5 running south
" " 1/4 " " 2621.5 " " & north.

RPS corner base near ℄ east-west road.
" " 2 to 3' east ℄ east edge traveled road north

pepsi cap on east side power pole NNE 74.4
old disc & nail on west side " " ℄E 39.62
Teem cap on south side " " W & W 139.0

25-26-35-36 Kalmar 107-15 #752505 (2)
found C/M. down about 7", called telephone and R.E.A.
and found that 3 high voltage cables ran S.W. to N.E.
within 8" of each edge of C/M. as road frozen 6"
or more gave up on any further exploration as
C/M reset very carefully from west in 6-1968.
Corner may be acceptable as is. all RPs on polygone.
new RPs 85.0 SW to center large round steel corner REA fence
on NE corner of fence.
122.4 NW to top center metal tele cable post.
100. NWly to natural blaze on S side maple elm.

over

dug again with Tractor, To ± 30' So. of CIM
did not find anything, gave up and will accept
Kerr's Corner although Measurement To 1/4 25-26
is very Short = +2600'

Gen'l Notes Kanrick 1854
80.00 Set post for corner to Sections 25-26-35-36
Erected mound with trench pits, charred stake
and Osage Orange sticks at each angle

April, 1863 P.C. Compton Pg. 72 No. 103 Show Sec. Cor.
(See Survey for Interior breakdown of Sec 25

8-12-91 Fd C.I.M. 15" deep in Rock Rd. Set Shorty C.I.M.
above other C.I.M.