1 5-29-1968 set C/M over orig stone, cast weighted etc
section corner 26-27-34-35 Kalmar 107-15
#752605
6-1870 Perry P128 no 160 S 26-27-34-35 Waldron.
set stone 3½ x 4½ x 27. (origin unexplained).
Meas N 39.80 M&L stake – east 39.86 stone found
west 39.83 stone found midway.
south 39.79 = 2626.14 to 3 fence posts together as corner

5-1872 Hunter P204 no 212 S 26 Hogans-Duffin
found stone set center road.

5-1885 Hunter P396 no 286 S 26 J Graham etal.
found stone P128

over

1/16 east set quarry stone 2x6x20 M & L 19.95 1316.7
corner used to set W 1/4 26 in this survey 39.80 M & L.
as Perry did P128.

---

also 4-18-71 Perry P156 No179 L35. Waldron
used corner.
Meas south on sec line to north RW of railroad 30.6±
Meas east 23.52½ to prop cor south (155265) 2022.24
- Meas & tracks To 1/4 34-35- Hunters note 5640'

5-29-68 J Kerr L35 REA. dug with backhoe
found stone placed by Lab cap & dash weight, set CIM.
- 1/16 east found 5' deep.± set twisted 5/8" x 4' rod.
Meas Perp Meas 1317.0 ± - Sec center road in line fence N.
RP Sec Cor. Dec PP No 22377 E 80.9 - Dec oak cor post E. 38.9.
Meas F North - 1' E F South -

Kalmar section corner 26-27-34-35
Gert Wolrs Karrick 1851
#752605 Z
80.00 Set post for corner to sect. 26-27-34-35
Erected mound with trench, p. 1/5, charred
stake & Osage Orange stake at each angle