5-25-1970 set C/M over ½" x 26" pipe by E-W line & meas (1)

1/4 corner 27-34 Kalmar 107-15

#752704

1-1870 Perry P92 No 136 L27. town board.
found stone monument also found. 4-8-1868.
used to set center north

1-1870 Perry P128 No 160 L26-27-34-35 Waldron.
found stone monument originally placed by L Cummings
on original stake. 2628.8
- Meas east 39.83. although this corner is midway
- Meas west 39.83. it lies 14 lks. south of direct line

3-1871 Perry P154 No 177 & 27. B. Bentley.
found stone as 1/4 corner.
- 1/16 wech. set stake M & L 19.84 1/2 for line north.

4-1924 Co Hwy Dept B39 P78 found stone - Hubs SE & SW 50.0'
4-1964 Co Hwy Dept - spike assumed corner. B 251.
Disc PP NW 81.46 - Disc PP SW 68.88

11-1969 Sandstone. Surv & meas line NE 34 to NW 34.
M & L 2629.15 R 2628.8 and 14 lks = 9.24 & of direct line
this point lies 1.58' E and 3.67' S & County tie to Assum Cor.

8-1927 Co Hwy Dept B51 P65 found stone, wood stake.
Tel pole ENE 71.9 - Tel pole SE 43.9 - Hub on F SW 65.8
Meas meas 2628.0 B264 P2. assm corner set 60 D 1962 ±
RP Spike Tel P NE 38.12 - Hub SE 58.97 = NE 61.35

Hunters RR notes 2334' to & RR tracks

(See Cards 27)

#752704 (2)

Card # 2 1/4 27-34 Kalmar 107-15

5-25-70 Co. surv.

dug 2'x3' hole in blacktop 4' deep covering area of point set by Sanborne to within probing of county assumed corner. later found Co H.D had dug for corner extensively in 1964 road in cut slightly. old road 2' down.

set CIM flush with road over 3/4"x 26" pipe & glass etc at point set by Sanborne duplicating orig 1870 survey procedure.

- Disc in power pole # 22396. SW. 67.55
- Disc " " " # 22397 NW. 85.3
- punch mark in top of lug. N. end road culv NE 40.2
" " " " " " S " " " SE 39.7 Cover

Corner lines center twp road east.

" " 1.7' east center line black top road N-S.

" " 2.0' south " " " " " " west.

Carl Nutts Kewick 1954

40.00 set iron ½ set post

West on true line between

40.00 set ½ set post in mound 27+31

with trench, pits, charred stubs N 9°15' E 45 lks

4 Osage Orange trees NE 45 lks