/ #753004 (1)

1/4 Corner 30 - 31 Kalmar 10 7-15.

5-1870 Perry P 162 no 185 L 29-30-31-32.
found orig stake in mound. 8 pits.

6-1871 Perry P 168 no 186 L 31.
used same corner. stake in mound set nothing
no meas. from south
- 1/16 south set stone 5½ x 5½ x 12 M & L no meas.
- 1/16 west set corner at 20.02½ then 18.93½ to sec. corner.
- 1/16 east set stone 3x16x26 pointed M & L 20.00.

8-14-70 found meas N. 1314.8 " E 1316.73.
found 6-17-70. meas 1316.0

May, 1863 P.C. Compton B. 71 No. 161 show 1/4 Cor (See Survey) over R R Note

Hunters R R Notes. 1555,5 south to L R R tracks.

Corner found P168 to be on exact line of north line of 31.

Meas west 38.94.5 Govt 38.90

6-17-70 Co surv. Meas line from NE 31 west found 1/16 stone as recorded P162 3' deep 5.7 east of N-S fence 1316.57 west of large pipe at NE 31 - set wood stick over stone which lines fence west quite well. Cent line west to fence line north 1316.0. (set lower part of steel post = as temp corner. about 1' south of large corner post of good new fence line north.)

7-17-70 Meas south found recorded 1/16 stone at 1314.8 Meas on W line 1320.67 - N-S 1/4 line 1314.8. E line 1310.6. of N line straight as record says N 1/4 iron post would go N 0.83

Kalmar 1/4 corner 30-31 #753004 | 2

Gary Weiss Kalmar 1859

40.00 Set temp 1/4 steel post

N 84° 52' E on true line between secs 30 + 31

38.90 Set 1/4 steel post in mound with

trench, pits, charcoal stake + Orange

Orange scrs NE + SE