Section Corner N Sec Cor. 4-5 Quincy 107-11
8/14/80 Set Cim M'L 5 " " 32-33-108-11 (1)
#813305

Gov't notes: Sept. 1853
Set Post for corner & dug Trench
B.T.s Blk Oak 14" S 9½° W 177 links
Blk Oak 12" S 4½° E 282 "

11-14-1979 Dug here with the backhoe centered on a point 112' West of DNR #10 (and in line with fence North and East and the Center of the road West) North 5', South 11', East 5', and West 4' as follows:



We found the mark from one large post 1' in diameter with rusty mark and piece of wire. This mark 2' deep, 2½' East of the fence North, and 3' North of the fence East
RP's: CSD West side telephone pole NNW 56.5
CSD South side power pole NE 50.6

3' West and 1' South of this mark we found a deep mark filled with cables we believe to be where a pole stood. We also found a 4½" diameter post 22" long, 6' South of the fence East and 1' West of fence North

RP's to 4½" diam post:

CSD West side telephone pole N 65.7

CSD South side power pole NE 57.3

We found nothing further.

8-14-80 Set CIM over ½"x19" rod midway and on line between the N¼ Cor 5 and the N¼ Cor 4. The corner is in line with the main line of the fence East and in line with the ℄ of the road West and in line with the fence North and 9' South of the ℄ of road on curve into yard. Pulled ½"x25" pipe found .23 N and .32 East and recently set.

RP's: CSD in pp # 33081 ENE 54.57

CSD in telephone pole North 59.18

CSD in Gate post East 40.72

SECTION CORNER N SEC. COR. 4-5 QUINCY (2)
S SEC. COR. 32-33 108-11

4/20/89 DNR FD CIM DOWN 0.6' #813305
CSD IN P.P. UP 1.3' SE SIDE N 65°E 54.56'
CSD IN T.P. UP 2.0' WEST SIDE NOW CUT OFF N. 59.21'
CSD IN GATE POST UP 0.8' SOUTH SIDE E. 40.72'