1 6-25-1973 set steel C/M over stone found with 1¼" pipe on N side stone. ①

#823309

¼ corner north ¼ 4 Viola 107-12 2nd Wab. Co line

10-1894 2t Fraser P553 no 510 d 4 E Dickerman

found stone set by Wabasha Co. Surveyor ac ¼ cor.

1/16 west set boulder stone N & L 19.98 for line d.

1318.68

1930 Co H D B62 P13 found flat limestone.

.5' above surface.

tile pole west 32.6 tele pole NE 60.4

meas south to center 4 2643.7.

1959. Co H D blacktoped road. used center section 4 but no mention of N ¼ 4 - creek re-routed from east of road to deep narrow ditch just west of new road (over

Center 4 to N 1/4 corner by stations 2645.2
Center 4 to PI which lies 6' north of center driveway
running east 2139.8
- Corner stone 505.4 north & about 100' west present ℄.
- railroad notes call for 383' center rails to corner
not described as stone by noted plainly which in
other areas was not ~~as~~ corner not evident in other area
- searched area and found some farming going on in
boundary lands so corner may be gone.
6-21-73. Meas from RR and ℄ road - corner may
come 50' west ℄ center crak made when road built
surface very hard and old road bed. Much rock in.
from south by traverse, corner may be below ground or gone.

Card # 2. N ¼ 4 Viola. 107-12. & Nat Co line (2)
Co H D. B62 P13 Sta 261+13.2. found flat L.S. 5" above Surface
(# 823304)
Center H. 6x6x18. .5 below surface. Sta on PI 235 +61.8.
PI Sta 256+94.8 Δ 5° R. or 418.4 end project
PT. Sta 236+72.5 or 2022.3 or 2440.7
Δ 91°0 L. D 29° T 203.0 L 313.7 or 2643.7
RP 256+94.8 very close rail post etc.
Survey May 15 1931 - Kalb, Wagoner, Kennedy
Jozo P 28.

6-21-73. Meas from approx center railroad east 383'
and 100' from Co R. # 24. found old road and fill remains.
Could not probe or dig without bar. Must run line

Cover

6-25-73 Ran & meas elect from 1/4 4-9 over 1/16 N.
found Co Drill rod at Center 4 to be 2.8' too far west and .68 too
far south to be M & L. 1315.5 (meas 1/16 S to 1/4 4-9)
- Cont line & meas N. to P.O.T. ± 2159 from nail (not shaft)
- 90° west 114.1 then again N to nail on county line.
- found recorded limestone 4 x 12 x 15 down over 2' in
mixed fill and soil 1.3 S of random on 113.8 E.
- set 1 1/4" x 30" ± pipe on N side along with short CIM on top
with top CIM down 15" below field.
- meas south to Center 4 nail. 2642.08 - .68 = 2641.4 to true Cor.
10.75 ESE to top Center County RW post & marker.
29.93 more ESE ly to nail in hub on S side 12" willow by creek
136.0 ± NE to □ nail in bottle cap on E side PP 20807
11.± WNW ly to eye line of P Poles running N along creek.
approx 90° off eye line.

Viola Smith '14 4 #823304 3

Gerk Notes Some 1953

40.00 set 1/4 steel post Brown charred stake-

made mound with trench