8/11/80 SET 1" SQ PIPE/ CAP (1)

Note: ~~Cemetery Tie~~ Not given from T.H. Field Book #14 P.10

section Corner 5-6-7-8 Farm. 108-13

William Yerby 5-54

#830505

Minn Hwy Dept used ℄ 63 and fence line west.

9-1966 J Kerr drove Motor nail at that point

Meas east from this point over line 241' north of

SW corner post of cemetery some 900'± east.

this line came on spot at N¼ 8 where on digging

found wood stake. This line 10.5' north center

Edgar Leum mailbox Column support

set a chared ~~stake~~ secCor post in mound of earth & sod for Cor to Secs 5,6,7&8 & made trench & pits & planted Osage Orange seed on NE & SW sides of trench.

(OVER)

7-1867 Plat of Farmington Cemetery
by H. E. Horton - Int. pt of this Survey is
NW Cor. Sec. 8 which is N 88° 30' W 943.56 ft.
from NW Cor. Cor. of Cemetery. All Cem. lines are
parallel or Rt. Angles from Sec. line and 33' So.

268' Cem. 18½

Monu.'s Set are 42' So. of Sec line & 22' E of West line Cem. and 22' W. from E. line, 42' So.
also 22' E & 9' N of S.W. Cor. Cem.

10-1883 T. Hunter laid out First Add. To Above Cem.
NW Cor. Cem. is now 879.5' E. of Sec. Cor. (NW 8)
Thence So. 33 ft. To N.W. Cor. of First Add.
Cem. Now 210 ft. N-S x 64' farther west. No Monu's
shown as being found or set in this Addition.

7-31-1980 set nail in ℄ T.H. 63 on line from East
42' N. of Cem. Monu. & Cor. 5-8

Section Corner 5-6-7-8 Farmington 108-13 (2)
#830505

8-11-1980 Set a 1" square x 19" pipe with cap #8952 as corner. The corner comes in ℄ of T.H. #63 ℄ ±7' North of ℄ crushed rock road East. ℄ ±4 North of fence line West. This cor. set on line ¼ for 5-8

RP's: outer nail set 42' N of N'ly cemetery stone and 965.56 W of said stone.

CS Disc in N. side pp# 47188 SE 90.51
CS Disc in S. side pp# 35234 SW 77.99
CS Disc in S. side corner post WSW 74.79

7-31-1980 Farmington Cemetery - RB, ℄ TW : Found the two W'ly stones of Original Plat. Looked for E'ly stone but now comes in cornfield and is plowed out. N'ly stone 4"x13" top with chisel cross. S'ly stone 3"x14" with chiseled cross and 136.27 So. of N'ly stone. Projected line of stones North ℄ set nail 42' N of N'ly stone as pt. on section line.

(830505)
62

7-26-99
NW RF #2

Soc Cor 5-6-7-8 108-13 Farmington
Found 1" Sq pipe w/Cap in good
condition with mashed Cap.
Set ReF pipe on South edge
of field drive NE of Corner.
46½ East of ℄ TH #63 and
10' South of ℄ Field drive.

NO ReF Pipe
XRT PK in PP # 35234 (Pole in
front of old School site) to 5-6-7-8
348°23'43" dh01 349°46'12" dh03
0°23'57" dh03 1°46'23" dh02
347°59'46" 347°59'49"

To Sec Cor 5-6-7-8 (1" Sq. pipe w/Cap
VA 91°28'49" dv00
Slope 87.075 Hor S7.04S

drove pipe deep because we
Couldn't pull it out. We will
Set 12" pipe after Cold Reaching
Project.