/ (1980) ½ PIPE/CAP SET BY ZENK # 11009
#830606 (1)

¼ corner west ¼ 6 Farm. 108-13
east ¼ 1 Drono. 108-14.

5-1879 Hunter P359 No 350 & 1 S Ponray, A Stedman.
found fence corner past agreed by adjacent land owners
to be where orig stake corner stood.
-16 west set stake N 0 L. 20.01½. to stone & stake
set at true intersc lines.

5-1925 J Kerr. B-6. P13.
ran E-W ¼ line found mean W ¼ 1 to center 1 both
found. 2631.5 record. (~~1897 2630.5~~) 1879 record 2630.1
- from center to E ¼. 2631.55 (1899 2641.98.

(over)

likely accepted corner past as corner. no check of 1/16
fence north. (no fence east) common land.
- some doubt as to corner (no N-S meas.)

Gen'l notes:

40.00 ch. Set Post for 1/4 Sec Cor.

B.T.'s Burr Oak 14" S 3½° W 8.00 — should be 8.00 ch. or 800 lks.

Burr Oak 20" N 7½° W 4.87

8.76 Burr Oak 14 inches (Line tree)

9/12/90 FD ½" PIPE/CAP # 11009 BETWEEN RR TIE C.P. TO FENCE WEST AND C.P. TO FENCE N & S. ALSO A 8" X 9" TOP LIMESTONE WITH TOP 2" EXPOSED 3½' NORTH OF PIPE FD WILL TRAV. TO.

9/21/90 DUG FROM PIPE NORTH 4½' TO CHECK STONE POSITION FROM 2' WEST TO 2' EAST OF STONE, COULD FIND NO EVIDENCE OF CONT'Z

#830606 (2)

1/4 CORNER WEST 1/4 6 FARMINGTON 108-13
EAST 1/4 1 ORONOCO 108-14

Cont. POST HOLE EXCEPT FOR TWO POST E & W OF PIPE BY ZENK. NAILED SIGN TO So. SIDE OF R.R. TIE C.P. WE DUG OUT STONE, WHEN STOOD UP IT IS 0.38' So. OF POSITION SHOT. STONE SIZE 9"x9"x17"

Rp's

P.K NAIL IN P.P. # 35294 S.W. 19.87'
CSD IN BRACE POST SOUTH 10.55'
CSD IN FENCE POST NORTH 8.45'