X 9-4-79 CIM #831205 (1)

section corner 11-12-13-14 Farm 108-13.
Set by William Yerby 5-1854
6-1857 Horton P85 No 130 N½ S13

used corner.
Meas - east 39.87.
Meas south 39.76

4-1886. Hunter P406 No 395 SW¼ S12 Village lots.
stone and iron stake as corner.
Meas lots north-east & west boundries.

9-1894 W Fraser P552 no 509 S14. K Lamprecht
found stone & iron stake P406.

(over)

Corner Now 3/4" rod in center black top intersection
CoHD, 4-1925 B44 P8 Sta 595+66

- SW corner tavern	NE	48.6
- Brass disc power pole	SE	85.7
- SE corner store	SW	82.95

7-21-70 Co surv. large iron rod in black top.
- 8" round conc RP with 3" iron pg marked PI Sta 614+78.5
  RP 82.50 with iron post by side — SE 82.49
- Disc with 20 D by side on SW side 42" maple — SE 82.47
- SRP on each side power pole # 32254 — some 5' ± SW of conc RP. — SSE 85.68
- SW corner tavern — NE 48.5
- Scaffold nailed disc on E side old power pole by store # 32250 — NE 52.53
- NW corner store up 3' — WSW 95.96

#831205 (2)

Section Corner 11-12-13-14 Farmington 108-13

80.00 Set post in mound corner to Sec 11, 12, 13 & 14 deposited charcoal made trench & pitts, planted Osage Orange Seed NW & SE

8-31-1979 Dug with the jackhammer at dip in the center of the intersection. Found a 1" x 17" iron under the mat and over a 1" x 17½" iron over a 6" x 8" x 14" limestone 2.8' deep. There was a large spike driven in the top of the stone and a piece of cast iron along side. The corner is ½' West & N-S rod and ½' South & E-W rod.

9-4-1979 Set a CIM over the stone found 8-31-1979 and took R.P.'s:

SE Cor. house (converted store) NE 64.52

SW Cor concrete block garage NW [redacted] 159.70

NW Corner grocery store SW 95.80
C50 in E. side pp# 32254 SE 86.04