#831206 (1)

1/4 Corner 11-12 Farm. 108-13
Set by William Yerby 5-1854
4-1886 Hunter P 406 no 395 SW1/4 S12 Village lots
Stone marked on plat as corner to set west boundaries of lots. no mear.

School dist No 2 - 1321 B 30 page 585.
5-25-1869. C Spring & wife
1/2 acre. Comm at 1/4 cor 11-12 thence east 12 rods = 198 ft.
thence north enough to make a rectangle 1/2 acre
or 6 2/3 rods. ~~188'~~ 198' X ~~109.9'~~ 110'

40.00 set a qr sec post in mound of Earth & Sod. deposited charcoal made trench & pits, planted Osage Orange Seed E & W.

9-10-1979 We dug 4' E-W by 8' N-S centered on the t.n set in line with the fence West and 1' East of ℄. Though the area appears to be cut, there was appx 2" of hard black dirt over clay. We dug into clay looking for any stake remains but found only a possible stake mark.

TN } 5.77N / 3.11W

Mark } 3.87N / 3.91W

9-12-1979 We set a CIM over a 5/8" x 15" rod at the location of the traverse nail which fit the measure (198') to the back of the old school lot on the East side of the road and is in line with the fence West. The corner is 1' East of ℄ Co. Rd. 11.

RP's: CSD in South side pp # 40810 in yard ESE 96.55
CSD in West side pp # 32262 SSE 133.43
Punched cross on N. side (up 1') 4" pipe fence post W. 49.54

#831206 (2)

1/4 Corner 11 - 12 Farmington 108 - 13

6-23-93, Set 1" Sq Pipe w/cap on line to Top Center East Silo of 4 in Farm Yard N.N.W. of Corner. The Ref Pipe is in ℄ of field drive & 25' west of ℄ CR 11 To 1/4 Cor 11-12

To Ref Pipe w/cap

VA 91° 47' 02"

Slope 219.79 Hor 219.70

7-8-94 SET 1" SQ PIPE W/CAP @ 1993 REFERENCED LOCATION 1/2' EAST OF ℄ CR 11 + IN LINE OF FENCE WEST.