8-3-83 CIC/P²

#831305 (1)

section corner 13-14-23-24 Farm 108-13
Set by William Herby 5-1854
11-1877 Hunter P323 no 317 S24 L De Wdy

Corner came in road recently graded several feet above level where old corner stood in mound.
Mr C Schacht avers that he set fence running west in exact line and "exactly" 33' from where corner stood in mound before road plowed & graded bringing corner in center road as graded.
- fixed said point as corner - no desc.
- Meas south 39.97

8-1-83, Sec. Cor. 13-14-23-24: Dug for traverse nail set in the center of the N-S road and in line with the

77.00 Enter "wet" marsh N.W.
80.00 Set Sec Cor post in Mound Cor to Sect. 13, 14, 23 & 24. deposited charcoal made trench & pitts, planted Osage Orange Seed NW & SE

fences East and West, for 5' West, 8½' East 4½' North, and 4½' South (hole probably 3'+ North and 3'+ South at bottom). There was a crushed rock road down 1½' and another down 3'. From 3' to 6' there was fill. From 6' to 7'+ hard packed mixed black dirt and from 7'+ to 8' natural black dirt and clay at 8'. The first time down we dug to 3½' East of the t.n. In the East wall of the dig and just beneath the 3' deep road we could see where someone had dug from there down for 3' to the hard black layer but not into it, so we dug farther East into there diggings and found a 3½" x 4½" x 11"

#831305 (2)

Section Corner 13-14-23-24 Farmington, 108-13

8-1-83 continued: limestone standing, top down 4½, .84 South and 5.26 East of the 0' t.n. There was a piece of a horseshoe with the stone. This stone within the old digging which extended further East and in line with the E-W fence. We removed the stone and dug to clay but could find no stake or post beneath it. Finished digging hole as described but found nothing further and did not have the time to dig more. The condition here not as good as expected with most of the black dirt disturbed and less black dirt than usual, this being a low area (water-way -> a culvert cross the road 23'± South) The stone fell in

near the prorated Gait location E & W. The stone could ~~could~~ be at Hunter's location with the dig being his attempt to dig to natural soil but ~~[illegible]~~ set at fence ~~[illegible]~~ corner.

8-3-83, Sec. Cor. 13-14-23-24: Set a 6' long telspar with a Cast Iron Cap as the corner at the location of the stone found 8-1-83. Corner 5' East & N-S road and 1' South fences E. and West.
RP's: Punch hole top W. end CMP SW 39.91
Punch hole top E end CMP SE 33.96