#831405 (1)

X

section corner 14-15-22-23 Farm 108-13.
Set by William Perby S=1854
5-1900 Ch Armstrong 1666 No 592 & 21 J. Zhoemeng.
found or set no corner. but in mear. J Welke.
4 miles from NW 21 to NE 24 placed corner location
at 80.145 from NW 22 and 80.045 from NE 23.

Co Hwy Dept 1951 found 4x15x8 limestone with ½" pipe risen
B199 P5 steel fence post E 58' steel fence
~~found Conduit.~~ set 1" drill steel riser in 1961 post W 58'
Sp Dice tele pole. ESE 50.75
" power pole. SE 76.42

over.

Meas south 2639.3 Meas north 2629.3

1932 C&HD B67 P13 found limestone 4x8x15 pipe near
Sta 5294.2 a PI Δ 0°04' left going south.
Meas north 2629.9. Lp PP ∠E 66.25
Meas south 2642.1 Lp Cor fe P. E 32.38
lines fences east and west.

80.00 Set post cor. to sect. 14, 15, 22, 23 in mound of Earth & Sod. deposited charcoal. Made trench & pitts planted Osage Orange Seed NW & SE.

6-14-83, Sec. Cr 14-15-22-23: Found CHD drill steel down 3" in ℄ N-S C.R. 11 and 2½' South fence line West
RP's: Old CHD disc in SW side pp# 35193 SE 76.54
CHD in N. side corner post WNW 50.81

10-1946 Kan DL 36, P25; Fd Cor

6-22-93 Set 1" sq pipe w/cap in ℄ field drive SELy of corner ± 40' East of ℄ CR #11 more ⟶ (pg 2)

#831405 (2)

Section Corner 14-15-22-23 Farmington 108-13

7-29-93 (cont.) T@ Rf pipe w/cap

∠ Rt Top Cen Silo SSW to Sec Cor 89° 16' 53"

To sec Cor 14-15-22-23 (dr. II steel)

VA 88°56'16"

Slope 44.25 Hor 44.24

7-8-94 SET 1" SQ PIPE W/CAP @ 1993 REFERENCED LOCATION OF DRILL STEEL IN ℄ CR #11 + 3' SO OF FENCE LINE WEST

R.P.'S OLD CHO DISK IN PP # 35193 SE 76.51