/ 6-2-76 Sut CIM #831804

1/4 corner 18-19 Farm 108-13
Set by William Yerby 5-1854
1-1878 Hunter P327 No 321 S19 H M Blohm
found old stake remains in center road. & others
set stone 3 X 5/12 X 23 as corner. in line fence.

6-1879 Hunter P361 No 352 S18 A Buchholtz
C Blohm & others.
found stone P327.
Note: field Book #5 very plain. Shows 19.97 3/4 x2 from cor 18 to S1/4 cor.
-16 North set stone M&L 19.97 3/4
also set stakes for fencing east of above 1/16 cor.
Error on P327 - -16 north 19.97 3/4 chn 19.97 3/4 stated
east line SE1/4 18 M&L 19.99 1/4

37.20 Set a chared qr Sec post in mound of Earth & Sod made trench & pits & planted Osage Orange Seed on E & W sides of trench.

5-20-76 Dug at computed location 7.46 S and 4.26 W of traverse nail. Found road had been cut in recent grading. Found remaining 12" of recorded stone 1½' N and ½' E of computed location, but could not identify point where it stood.

6-2-76 Set CIM over shaft & pipe at the intersection of the N-S ¼ line Sec. 18 & the section line between Section 18 and 19. Corner 7' S. of ℄ E-W road, 17½' E of ℄ driveway running N and 4' W. of fence.

RP's: C S D in Corner Post (on W. side of driveway) NW 57.0'
C S D " " " NNE 37.24
C S D in pp # 43573 SE 55.77

N.E. 20 Marion Twp.

Farmington twp. 103 - 13

Sec. 18

