/

#831909

1/4 corner Center 19 Farm. 10 8-13

1-1878 Hunter P 327 no 321 S 19 N B Lohm.
set marked stake at true inters lines.
-16 east set stake N & L 19.91.
-16 south set stake N & L 19.95 1/4
-16 center S E 1/4 19 set stake inters 1/16 lines.

4-1919 Ch Armstrong. P 318 B. S 19 N. Blohm.
set iron stake at center and iron bolt Banrack.
at 1/16 corner east of center 1311' on line iron bolt set
at 1/4 19-20 - claims corner on E W 1/4 line across

being iron bolt set by Hunter. (no record of it).
Plat shows iron bolts at Center 19 & E 1/4 19 and
1/16 corner between all 1311.0' (typical armstrong.

2-10-76 Set nail at comp. location near Center (see Drwg.).
R.P.'s Nail N. side of cornerpost W3W 5.15
Location 1.6' N of fence East.

3-31-76 Dug 2'x6'x1½' deep on N side of fence E from corner post. Found nothing.

5-20-76 Dug 3' diameter 4' deep. Found stake (dup) & old post .8 N and .8 W of traverse nail. Set wood post in hole and small rod over
R.P.'s Nail in corner post SW 4.6
2.35 N of fence E

10-1999

"83/909" Cen 19 Farmington 108-13
1/2" Pipe w/cap RLS # 14888 Set by
Vince Fangman at Intersecting Quarter Lines.