8-8-83 CICIP²

#8322040 (1)

1/4 Corner 22-27 Farmington 108-13
set by William Yerby 5-1854

40.01 Set a gr sec post in mound of Earth & sod, deposited charcoal, made trench & pits, planted Osage Orange Seed N & S.

7-21-83, 1/4 Cor 22-27: Dug from the tin. set in & rd. and in line with fence South for 3½' Dist, 1½' North, 4½ South, and 10½' East. We were digging E-W to cover the line of the fence South and a point midway between the stone Pd at Sec Cor 22-23-26-27 and the CIM at Sec Cor 21-22-27-28 which came appx 7½' East of the fence South. We were digging N-S to cover the center of the present road and

abov the line from the stone found at Sec. Cr 22-23-26-27 to the CIM @ Sec. Cr 21-22-27-28 - said point came appx 2½' So ℄. We found a ¾" x 3½' pipe (typ down 3' and removed) 2.75 South and 2.55 East of the t.n. Followed the pipe down to clear clay. Someone had dug at this location, but found nothing further. Clay down 4½'. Mostly fill to clay and much brush mixed in. No chance for original corner.

8-8-83, ¼ Cr 22-27: Set a CIC/p² or corner at the location of the pipe found 7-21-83. The corner is 2½' East of the fence line South and 3' South ℄ E-W road

RP's: Punch hole in East end 18" C.M.P. SW 58.10
CSD in corner post South 48.88
CSD in PP # 19994 North 52.81

#832204 (2)

1/4 Corner 22-27 Farmington 108-13

8-2-93 Set 1" S/A pipe w/cap & Rt 180° 01' 30" from corner to main tower of Radio Tower S.S.W. ↑ @

Ref Pipe To 1/4 Cor 22-27

VA 87° 14' 40"

Slope 50.27 Hor 50.22

7-15-94 SET 1" SA PIPE W/CAP @ 1993 REFERENCED LOCATION. THE CORNER IS 3' SOUTH OF ℄ CR #21 AND 1' EAST OF FENCE LINE SOUTH. THE TIES FROM 1983 CHECK.