#832604

11-20-1963 set C/M over 1¼" x 20" pipe ①

¼ corner. 26-35 Farm 108-13.

No records of corner set or found. 197.02.

Line Meas from NW 35 to N¼ 31 108-12 placing mile at 79.~~96~~ 80 NW 35 to NE 35 set 52~~79.36~~ 68 Govt Pap

Meas now to C/M set as NE 35 5260.7.

~~doesn't seem Hunter would meas that much. general~~

Terrain for 2 miles level. could remeasure both miles.

Corner at NE 35 found as limestone - Hunter set iron, dap. 1¼" x ~~⅝~~ 20" pipe set by ~~Co Hwy Dept~~ John Kerr B32 P28 Apr 1946 used as corner.

Govt N line 35 79.88 N line 36 80.06 Corner

set C/M over 1¼" x 20" pipe.
Corner lies 1' east of fence running south.
" " 3' north of south edge traveled road.
Lies power pole. ENE 177.3
Corner lies 35'± south of line of power poles
and they run east & west on north side of road

Co HD B 328 1967. Sta PI 26+29.12 60d spike.
RPI Lp Co FP N 25.52 - Lp D FP NE 43.07
no mention of corner or finding. C/M some fill under 2'.
- sta east.

10-1946 Surv B 32 P 28 Sec 26 for J. Harvey.
set 1¼" x 4' pipe M&L 2630.35 with boulder with cross
set North M&L 1320.93 to 1¼" pipe set at Center 26.

#832604 (2)

1/4 Corner 26-35 Farmington 108-13
set by William Herby 5-1854
39.94 Set a gr sec post in mound of Earth & Sod.
deposited charcoal made trench and pitts, planted
Osage Orange Seed N & S.

6-15-53, 1/4 Cor 26-35: Found Reris CIM bent 32" in mound.
Set 3/4" re-rod at mnd surface over CIM as true
point.

7-20-83, 1/4 Cor 26-35: Dug from Reris CIM (removed)
North 8 1/2', East 4 1/2', and West 5' by 4' deep to
clay. Condition good. Reris CIM 1' to 1 1/2' East of
Fence line North and South. Digging to
cover fence line and also midway between
the sec. corn (which would) come appx
1 1/2' E. of Cor. Found a black mark about

8" diameter 3.85 North and 2.45 East of Kerr CIM (removed) and at the beginning of the clay which contained wood piece and when trimmed up appeared squared up (about 3"x3") but there was no long stake point to be found. The mark 5' East of fence N & S and 2½' South & Rd.

8-2-83, ¼ Cor 26-35: Dug from North edge of hole dug 7-20-83 North to 12' North of Kerr CIM location and in line with fence running North. Found nothing. Clay 4' deep.

8-2-83, 1/16 North of ¼ 26-35: Found boulder set by Kerr 4.5 South of center of post being used as C.P. to fence. So. and West. Fence North On place but not attached. Old corner post lying on ground. Boulder 16" long and pointed. Top at ground surface.

#832604 (3)

¼ Cor 26-35, Farmington, 108-13

8-3-83, ¼ Cor 26-35: Set a CIM over a ¾" x 20" iron at the the location of the wood piece and square mark found 7-20-83. The corner is 3' South of the ℄ of the E-W road and ±4' East of the fence line North and South RPs:

Punch hole in East end 18" CMP SE 40.11

Punch mark in West end 18" CMP (.6 from End) South 28.00

CSD in corner post NNW 45.99