1 10-9-72 set C/M over orig stone, rod, glass #832705 ①

Section corner 27-28-33-34 Y arm 10 8.13

10-1893 St Fracer P536 No 498 S 33 & 34 NA Walker

Corner gone, could find nothing by careful search or find any evidence of where corner stood.

- Meas line S W cor 34 to 1/4 27-28 as placed by evidence of settlers C Nemers & E Welch. 2639.12
line was 4 links short or 39.98 2/3 chs N & S.

- Meas line N 1/4 34 and N 1/4 33. 2632.6
set corner 39.90 3/4 2633.9 from N 1/4 33 - 39.88 3/4 from N 1/4 34
no explanation of the 2 links. Govt W 79.96 E 79.92
corner set stone 6 x 6 x 18 in center Roade.

10-9-72. Meas from CIM at ℄ 33-34 north over CIM set by J Kerr. 7-1964 R ⊿F 2639.12 N ℄. No size given.
- found CIM at 2638.03
- set nail in line fence west at 52.73.09 R 5278.24
- found limestone 3" x (12") 20" no guide record. stone could have been exchange in later years but corner positive
- Corner 2.9° north - 9.45 E ℄ 5273.08 nail 2.34 underdrill or 5276.00 within 2' ℄ Hill. or ℄ 2638.00 for Midway.
- found org stone at ¼ 33-34. 4.4 E and .7 north of CIM. of 2638.13S. - stone north to stone. 2637.28
indicates CO HD may not be right on ℄ 33.34
Corner should have been ½ 9.45 or 4.725' not 4.4
or ℄ 33-34 could go .65 west and likely a little north.
- Meas east to stone found & CIM set at ¼ 27-34 2.34 under 2630.37 Hill & Lacer record 39.68 ¾ (2632.58 Short Meas

#832705

Card # 2 27-28-33-34 Farmington 108-13.

(2)

stone found only down 15" or so, lowered stone and set CIM over stone, with glass etc.

Corner slightly north of old fence line W and near center road south or east a little - Close to center road east ±

33.68 3' S of W to PK on Spike PP # 19895. 33.67

45.95 SE to R Beer Cap on NE side Tele pole.
Corr 1983
105' NE To Center very straight 16" elm with bad in raised root portion of tree pointing SE by Slope

set by William Perby 5-1854

80.00 Set Sec. post in mound ~~of earth & sod~~ Cor to sect 27, 28, 33 & 34 deposited charcoal made trench & pits planted Osage Orange seed NW & SE.

6-14-83, Sec. Cor.: Found CIM down 3" in "T" intersection, 3½' East of ℄ N-S road and 4' North ℄ road East and fence line West

RP: Old PK S. side pp # 1989 NSW 33.67

CSDisc NE side pp # 4907 (now used as anchor) NW 53.32