#833005

5-19-1967 set CIM over 1¼ x 7" pipe. (1)

section corner west 30-31 Farm. 108-13
east 25-36 Arono. 108-14.

5-1879 Hunter P 355 No 347 & 30 W Spring, P McKee.
Corner gone. SWBT still standing which put corner at fence corner, claimed set at spot of original stake when standing.

-16 east set stake at 17.78 Q. -1173.5' then 19.68 Q -1298.9' to stake set earlier survey

-16 north stake N & L 19.95 (1316.7

Note: Orig. Gov't B.T.'s
Bur. oak 16" S 35° W 200 lks
Bur. oak 10" N 55° W 310 lks

-over-

7-1917 J Kerr. P 268 B L 31 Herman Meyers.
found stone 17' west of large burr oak used
as fence terminal for E-W-N fences, fence cor
mentioned by Hunter gone. this stone under fence W.
- meas south 2640 to stone set M & L.

5-1967 J Kerr found upright limestone and
many smaller pieces -
- set C/M ones 1¼" x 7" pipe with stones, glass, bones etc.
- nail on hub on L side 20" burr oak. wrapped
in wire from fences all 4 directions. fence south
rather indefinite. used as corner terminal E 16.7.
- corner lies under fence running west.
- meas west 5235.0 set C/M midway & line.

#833005 (2)

Section Corner West 30-31 Farmington 108-13
East 25-36 Oronoco 108-14

set by John Ball 10-1853
75.00 top of Hill bears west
80.00 Set post for Cor. to Sect. 25, 30, 31 & 36
Burr oak 10 S36W 200 lks
Burr oak 10 N55W 310 lks.
& dug trench per instructions

May, 1863 P.C. Compton Bg. 69 No. 98 shows Sec. Cor.
1/16 west shows Corner used
1/16 North shows Corner used B.T. - (N20°W 32 lks.)
1/16 East shows Corner used for Breakdown in N.W. 1/4 Sec. 31

W. 30-31

5-1-1980 (1980 Remon. Book) Projected fence line from North (beginning 900'± North). Line came 23'± East of Kerr CIM a appx. 6' East of large Burr Oak reffred to by Kerr in 1967 as fence Terminal and 10' East of present fence North. There is a new fence West _____ North of the CIM

5-5&6-1980 (1980 Remon. Book) 1/16th North: Found Taylor pipe and cap. Dug from pipe 3' South, 2½' North, 2' West, and ~~East~~ 13½' East (to 2½' East of N-5 fence) by 2'+ deep to clay. Soil very mixed with gopher holes. Found nothing.

5-6-1980 (1980 Remon. Book) W. 30-31 Found possible Govt Brg. Tree S38°W, 131 (copper) from Kerr's CIM - a 23" Burr Oak at very edge of a ravine running SW.

5-6-1980 (1980 Renton Book) 1/16th East Dug under the E-W fence and at Nienten full measure from West 30-31 (Pt came 4½' West of spike set on SE side c.p. to fence E-W-5) West 3', East 4' to c.p. North 2', South 2'. Found nothing 1975

West 30-31 Farmington 108-13 ③
East 25-36 Cronoco 108-14 #833005

5-9-1980 Dug out Ken's CIM to verify. Found CIM packed in small pieces of limestone and over a 1¼" x 9" piece of pipe standing on shell rock. There was a 1½" x 5½" x 12" limestone standing on the East side of the CIM which was the only stone which could have been the stone found by Ken. Dug from the CIM 2' North, 2' West, 2' South, and 3' East. Found a 2" to 2½" hole starting 1' deep and running down 14" to rock and filled with wood fragments 1.2 West of the CIM. This appeared to be the remains of a stake driven to rock. We set the CIM over the 1¼" x 9" pipe back at Ken's location at this time. We also dug from 17' to 24' East of the CIM to

cover the line from W. 1/4 30 over the fence at the 1/16 South, but did not find anything. We cored the possible SW bearing tree to try to determine the tree age but reached no conclusion

6-12-1980 (1980 Remon. Book) West 30-31: Cut into the face of possible SW bearing tree. Found where Ken (or someone) had cut into tree searching for Dont blaze. Cut in farther and at 9" to 9½" in found Dont blaze with some scribing plain. ("T 10 S R 3 E") proving Ken's corner correct.

6-16-1980 Set survey marker sign & post 2.0 North of the CIM. Corner 15' South of new fence West
+ Spike & CSD West side 18" Burr Oak SW 27.57
- Spike & CSD in North side (up 3½') 18" twin Burr Oak in crooked fence South East 16.83
Read Mag Brg. from CIM to tree at S 35° W and 130.89 horizontal to face of blaze.