(#833204)
(1)

1/4 Corner south 1/4 32 Farm 108-13
north 1/4 5 Haver 107-13

3-1898 W Fraser P 620 No 563 S5 H Hendrickson.
D Wilder N Mich

found bottom of old stake from B tree
- set marked stake and stone 3 x 9 x 20.
- 16 west set marked stake & stone N & L 19.90 (1313.4
- 16 south set " " " stone 2 x 7 x 24 on line and
at 20.89 (1378.74' then 20.03 (1322.' to center
- set 1/64 stake south N & L 1/4 cor and above 1/16 - 10.45 1/2
(689.37

(over

-16 center NW 1/4 & 5 - set stake intersection
- east set stake at 5 chains then 34.90 to sec cor.
1/4 corner stone set proved midway and on line 39.90

1935 C&D B81 P43
run line SE 32 west to SW 32 5260.4

10-29-70 ran aerial random & meas on that line from NE 5 by Runge Creamery west to NW 5 by Fen corner
- set nail at 2626.80 from west - line came 5.65 S of NW 5.
- run & meas line from this nail south to center 5 See center 5
- true E-W (center over 1/16 stone N) came 1.63 east of nail or 2624.92 E and 2628.43 W R 2626.8 M & L
- set long sack weight on bedrock on steep rocky slope subject to wash from field, made walls of large shellrock

See Card #2

Card #2 S 1/4 32 Farmington 108-13
N 1/4 5 Haverhill 107-13

Corner came some 4' west of N-S fence at that point but lines very close to main line fence from hilltop north on farm line.

#F833204

- Center 6" blazed elm 1.5' S & W - 8.25
- 20 Dia root SW cor base of 22" blazed oak N 14.7
- rod on E side 14" oak terminal of main fence from north and random field fence SW'ly N 29.7±

Higham assumed corner for survey plat in NW cor of NE 1/4 5

- Corner comes on very steep rock slope north of Co road 14

set by John Ball 10-1853

5.00 Enter grove bears NW.

38.00 leave grove NE

40.00 set post for qr sec Cor.
Burr Oak 18 N 80 W 144 & dug trench per instructions