8-1-1966 set C/M over 1/2 x 2' rod. (1)
#833406
section corner. south 33-34 Farm. 108-13
north 3-4 Haver. 107-13
10-1893 JH Fraser P 536 RO 498 S 33 & 34 A Earle
corner "H"
Corner gone, could find no evidence ilc. P Walker
set stone 6x6x18 as corner on town range line
and midway 40.02 between S 1/4 33 (stake set)
and S 1/4 34 (stake & small stones)
- meas north To M & L. 39.98 2/3 (26.39.12.'

Corner used by Co Hwy Dept preserved in deep fill
as hub riser above orig corner! 8-1930 B58 P35 found
stone recorded - 3' deep - meas ead 26 38.6
Cover

8-1966. J Kerr
dug in black top road for dup hub. aid of grader.
found hub dup. over 4'. set 4' rod until road
settled. later set C/M. over 1/2" x 2' rod.
Corner lies in 4 way road intersection. impossible
to prove if stone readily lies below without trouble.
spud. on NE side power pole. SE 55.8
" " NW " " " SW 62.8
" likely SE " " " NE 99.6.
or non-existant-then pt.
Meas meat 2637.88 (1960)
set mon 635.25 for prop cor. also 519.75

Card #2. South 33-34 Farmington 108-13 (2)
North 3-4 Haverhill 107-13
10-9-1972. found C/M within 2" of surface #833405
seems all power pole references either gone or changed

76.3 SE To center NEly one large pipe power mast.
Controlling massive switches on pole top # 44147.
63.35 SW To PK nail on NW side PP 38403
84.5 NE To PK on SE side PP 44148.
61.1 NW to PK nail on NE side PP 38404.

Meas north to C/M over stone found 10-9-72 2638.73.
Then 2637.27 To stone at 27-28-33-34
Making new 1/4 corner .32 W of direct line .13 N of midway

By John Ball 10-1853
80.00 Set post and drove charred stake for Cor. to Sect.
3, 4, 33 & 34. built mound with trench per instructions
Planted SE Osage Orange N.E. Apple seed.

1941 - C.H.D. Book # 129 page 14 - Stone mon. 60 D. nail on top.

7/11/90 FD CIM DOWN IN BLACK TOP 6" ALL 1972 TIES INPLACE

Aug 1996 Dean Strange of People's Coop Found CIM, about .6' Deep.

(833405) 6-14-99 MW RF AE

South 33-34 108-13 Farmington

Found CIM 7" deep in ℄ CR #14 and in line of ℄ roads N. & S.

Set ReF pipe N.W. of Corner
53' North of ℄ CR #14 and
48½' West of ℄ 50th Ave NE

TO ReF pipe
ART P.K. in PP (NE Cor Int) to
So Sec Cor 33-34

54° 31' 14"
0° 00' 56"
54° 30' 18"

55° 07' 24"
0° 37' 08"
54° 30' 16"

TO So. Sec Cor 33-34 (CIM)
∠A 91° 11' 02"
Slope 70.975 Hor 70.96

NO. 447 NATIONAL PRINTABLES