~~7-10-1964 set C+M over 1/2 x 2' rod.~~
10-9-1972 found orig stone, pulled C+M, reset over stone (1)
1/4 corner 33-34 Farm 108-13 #833406
11-1877 Hunter P 324 No 318 & 34 A Donke.
found stone set in center road as 1/4 corner.

10-1893 H Fraser P 536 No 498 & 33 & 34 A. Earle
Could not find anything of above corner. so P.M. Walker
located corner N & L. 39.98 2/3 (2639.12 or 1/3 dist SW 34
To 1/4 27-28
set stone as corner with small stone on top.
-this came 8' south of fence line east which agreed
with testemony of Earle & Walker as well as Hunter.

8-15-1960 JKerr B80 P49. Adler. farm buildings. dug extensively at fence east & west. evidently was not acquainted with records found mark in clay in line fence east. drive rod there as corner. Made 2638.4. East to center 1/2 mi. 2639.85
7-1964 JKerr set C/M in place rod as corner.
- Meas south 2638.4 R 2639.12.
of corner be 8' south of fence east the section corner north & fence line north as 4 27-28 would have to be measured in its entirety. no mark or dep fill, terrain level.
60D in 12" blazed pine NW 51.41
spud power pole SE 31.2.
:: in north end field entrance culv. E 17.9.
present C/M lines with good fence east

Card # 2 1/4 33-34 Farmington 108-13 (2)
#833406

10-9-72 Meas from ℄ 33-34 and ran transit line north over C/M at 1/4 33-34 set 7-1964 by Skeen
- found C/M at 2638.03. R. 2639.12
- Cont line & meas N to line fence west at 5273.09
- found 27-28-33-34 9.45 E and 2.9 N of nail at cor N 5276.0 or 2638 for 1/2.
- found stone at 1/4 33-34 0.7' N and 4.4' W of C/M.
- final 2638.73 S 2637.27 N indicating ℄ 33-34 may not be perfect - also 1/2 9.45 = 4.72 not 4.40'
- pulled Skeen C/M & rod and set C/M over stone. Skeen C/M Tilted over a foot on top NW ly but not broken.

new RPS over

RP. CIM set over stone. 10-9-72 1/4 33-34 108 13.

13.71 4' S & E to punch hole in N end 12" field culv.
former RP 17.9

27.1 3' S & E to orig spad in S side PP # 1990.
former RP. 31.2.

54.47 NW to 40 Ø N side 12" pine.
former RP 51.41

corner now in fair line with E-W fence and 4' east of center road.

---

set by William Yerby 5-1854
40.00 set a gr sec post in mound of Earth & Sod deposited charcoal made trench & pits, planted Orage Orange seed E & W

#833406 (3)

¼ Cor 33-34, Farmington Twp, 10S-13

6-14-83, ¼ Cor. 33-34 ; Found CIM down 13", 2½' East ℄ N-S crushed rock road. Fence E. now gone right by road.

RP's ;

Old spike in NE side pine tree NW 54.47

Spud S. side pp ESE 27.13

Old culvert SE now moved farther South