11-14-1964 set C/M over iron rod. ①
section corner south 34-35 Farm. 108-13
North 2-3 Haver. 107-13
5-1873 Hunter P 223 no 226 & 3 M. Creasy #83505
in digging in center road found remains of oak bark & rotten wood. set new stake
-16 south set temp stake at 20.80 chen 20.00 to orig stake standing as ½ 2-3.
-16 west set stake N & L 20.00.
-16 center NE¼ 3 set stake inters lines.
& Doyle.

11-1877 Hunter P 324 no 318 & 34 A Donke found stake P 223 now 1 foot deep (over)

-16 North set stone 2 x 14 x 16 M & L 19.96.
-16 West found stake P 223 found M & L 20.00
-16 Center of E 1/4 34 set stake with boulder on. south side at outer lines.

Iron rod & wood hub used as corner by Co,
11- 1964 set C/M over iron rod. 6-1930 found stake 3' dep - mag N 26345

Disc in power pole. NE 58.0
" tele pole. S 35.4

Corner lies in direct line fence south and on south edge traveled road on curve. line center blacktop each

---

1/16 east set 1/2" x 2' rod M & L 1315.5 which came. 1/8" out in grade on N side traveled surface of road.
- Alum Disc (1954) in PP 24382 NW 53.15 - span tall H Wall East end North large W. 67.6

Section Corner South 34,-35 Farmington 108-13 (2)
North 2.3 Haverhill 107-13
set John Ball 10-1853 #833505
60.00 leave openings & enter Prairie bears N.E.
69.20 Brook 3 links wide bears NE,
80.00 Set post and drove charred stake for Cor to Sect.
2, 3, 34 & 35 ... built a mound with trench per instructions. Planted S.E. Osage Orange N.E. Appleseed.

6-13-83, S. 34-35: Found CIM and iron beneath it OK but RP's not right. Corner in line into fence South and on South edge traveled road on curve from East to NW and in line with ℄ blacktop road farther West.

Retook RP's:
Old CHD Disc in SE side power pole NE 57.67
Old CHD Disc in W side cut off telephone pole with top S. 36.51

S section corner 34-35 108-13
10-1946 John Kerr shows cedar post with limestone on SE side ~~&~~ P's
S 31.75 nail T.P.
SE 50.2 2nd steel post E of cor. post.
NE 43.2 wood plug on bank